

Gift of
Earl Blough
November 1957

CATALOGUE FOR 1846,
OF A CHOICE COLLECTION

OF

**FLORICULTURAL, VEGETABLE,
AND AGRICULTURAL
SEEDS,**

COMPRISING, IN ALL, UPWARDS OF

1500 SPECIES AND VARIETIES OF FLOWER SEEDS;

AND AMONG OTHERS,

SOME SPLENDID ASSORTMENTS OF

German Asters, Stocks, Zinnias, Hollyhocks,

&c. &c. (Page 4);

BESIDES A NUMEROUS LIST OF OTHER ESTABLISHED
FAVOURITES, AND MANY NEW AND RARE SEEDS,
WELL WORTHY THE ATTENTION OF FLORISTS AND AMATEURS
IN GENERAL.

THE

LISTS OF VEGETABLE AND AGRICULTURAL SEEDS

WILL BE FOUND TO CONTAIN ALL THE LEADING
AND MOST APPROVED VARIETIES.

TO BE HAD OF

JAMES CARTER,
SEEDSMAN AND FLORIST,
238, HIGH HOLBORN, LONDON.

** The German Seeds are from the usual source.

[Entered at Stationers' Hall.]

THE NECESSARY EXPLANATIONS

Respecting the Linnean Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 5.

1st and 2nd Columns.—The Linnean Classes and Orders. 3rd.—Natural Orders.
4th Column.—*Hardiness and Duration of each plant.*

h. hardy; hh. half-hardy; t. tender; F. frame;—G. greenhouse;—S. Stove perennial; a. annual (last 1 year); b. biennial (last 2 years); p. perennial (last many years).—Application: ha. hardy annual; lha. half-hardy annual; ta. tender annual; fa. frame annual; fgh. frame or greenhouse; ghh. and hgh. green ar hothouse; sa. stove annual; lb. hardy biennial; lhb. half-hardy biennial, &c. &c.

5th Column.—*Colour: bl. blue; b. & w. blue and white, &c.; d. dark; l. light; d. r. dark red; div. diverse, &c. &c.; stri. striped, &c.*

6th Column.—*Usual height of the plant in feet; tra. trailer; cl. climber.*

7th Column.—*Usual month of flowering: 6, June; 6-9, June to September, &c. &c.*

8th Column.—*Price per Packet. 6d. Packets may be had of those marked 3d., &c.*

TIME OF SOWING.—Hardy Annuals, February till June, and in Autumn. Hardy Biennials and Perennials, March till June, and in Autumn. Half-hardy Annuals, &c. in March, April, or May, on a moderate hot-bed. Many of the Biennials and Perennials marked lhb will stand the winter without protection; they, as well as the half-hardy Annuals, with few exceptions, may likewise be sown on a warm border early in May. The tender Annuals require more than one hot-bed.

The Greenhouse Climbers marked ** may be planted in the borders in May.

* Dwarf Plants proper for the edgings of beds. ** Ornamental Climbers.

† Usually flower the first year, if sown early; *sp. species, var. variety.*

The dots | ... | ... | ... | ... | indicate a repetition; *pl. plures, many; ex, from.*

I. The 24 Linnean Classes. (See Flower Seeds, 1st Col. page 5.)

The Linnean Classes are founded on the Sexual Organs.

a. Stamens (male organs) equal.		e. Stamens united in sets.	
Classes.	No. 1. Monandria . . . 1 stamen	16. Monadelphia, 1 set	
	2. Diandria . . . 2 stamens	17. Diadelphia, 2 sets	
	3. Triandria . . . 3 "	18. Polyadelphia, many sets	
	4. Tetrandria . . . 4 "	d. Compound Flowers (<i>Asters, &c.</i>).	
	5. Pentandria . . . 5 "	19. Syngenesia	
	6. Hexandria . . . 6 "	e. Stamens on the style.	
	7. Heptandria . . . 7 "	20. Gynandria	
	8. Octandria . . . 8 "	f. Male and female separated.	
	9. Enneandria . . . 9 "	21. Monœcia, on one plant	
	10. Decandria . . . 10 "	22. Dioœcia, on different plants	
	11. Dodecandria 12 to 19 S. in the cup	g. Male, female, and hermaphrodite flowers, on one or different plants.	
	12. Icosandria 20 or more S. on the base	23. Polygamia, many marriages	
	13. Polyandria, many Stamens	h. Flowers wanting, or incomplete.	
	b. Stamens unequal.	24. Cryptogamia, hidden marriages (<i>Ferns, Mosses, &c.</i>).	
	14. Didynamia, 2 long, 2 short		
	15. Tetradynamia, 4 " 2 "		

II. The Linnean Orders. (See Flower Seeds, 2nd Column, page 5.)

The Linnean Orders are founded on the Sexual Organs, Seeds, or Pods.

a. Orders founded on the Styles, or female organs.		No. 48. Polyandria <i>many stamens</i>	
No. 25. Monogýnia	. 1 style	c. On the sets of Stamens.	
26. Digýnia	. 2 styles	49. Monadelphia, 1 set	
27. Di-pentagýnia	2 to 5 "	d. Styles and stamens united.	
28. Trigýnia	. 3 "	50. Gynandria	
29. Tetragýnia	. 4 "	e. Male and female separate.	
30. Pentagýnia	. 5 "	51. Monœ'cia, on one plant	
31. Hexagýnia	. 6 "	52. Diœ'cia, on different plants	
32. Heptagýnia	. 7 "	f. On the Polygamy.	
33. Decagýnia	. 10 "	53. { Polygámia æqualis, or	
34. Dodecagýnia	. 12 "	{ Equal Polygamy	
35. Polygýnia	many "	54. { Polygámia superflua	
b. On the Stamens (male organs).		{ Superfluous Polygamy	
36. Monan'dria	. 1 stamen	55. { Polygámia frustranca	
37. Diandria	. 2 stamens	{ Frustrated Polygamy	
38. Triandria	. 3 "	56. { Polygámia neccessaria	
39. Tetrandria	. 4 "	{ Necessary Polygamy	
40. Pentandria	. 5 "	57. { Polygámia segregata	
41. Hexandria	. 6 "	{ Separated Polygamy	
42. Heptandria	. 7 "	g. On the Seeds.	
43. Octandria	. 8 "	58. { Gymnosper'mia	
44. Enneandria	. 9 "	{ Naked seeds	
45. Decandria	. 10 "	59. Angiosper'mia, in a capsule	
46. Dodecandria	. 12 "	h. On the Pods.	
47. Icosandria	. 20 "	60. Siliculösa, a small pod	
		61. Siliquösa, a long pod.	

III. The Natural Orders. (See Flower Seeds, 3rd Column, page 5.)

The Natural Orders are founded on Structural Affinities.

62. Acanthaceæ	82. Crassulaceæ	102. Linaceæ	121. Portulacææ
63. Amaranthaceæ	83. Cruciferae	103. Loasaceæ	122. Primulaceæ
64. Amaryllidaceæ	84. Cucurbitaceæ	104. Lobeliaceæ	123. Proteaceæ
65. Apocynaceæ	85. Dipsaceæ	105. Loranthaceæ	124. Ranunculaceæ
66. Aristolochiaceæ	86. Epacridaceæ	106. Lythraceæ	125. Resedaceæ
67. Asclepiadaceæ	87. Ericaceæ	107. Marantaceæ	126. Rosaceæ
68. Balsaminaceæ	88. Euphorbiaceæ	108. Malvaceæ	127. Rutaceæ
69. Begoniaceæ	89. Ficoideæ	109. Myrtaceæ	128. Rutaceæ
70. Bignoniaceæ	90. Fumariaceæ	110. Nyctaginæ	129. Scrophulariaceæ
71. Boraginaceæ	91. Francoaceæ	111. Nymphiaceæ	130. Sesameæ
72. Cactaceæ	92. Gramineæ	112. Onagrariæ	131. Silenaceæ
73. Campanulaceæ	93. Gentianaceæ	113. Oxalidaceæ	132. Solanaceæ
74. Capparidaceæ	94. Geraniaceæ	114. Papaveraceæ	133. Stellatæ
75. Caprifoliaceæ	95. Gesneraceæ	115. Passifloraceæ	134. Thymelaceæ
76. Cistaceæ	96. Hydrophyllaceæ	116. Pittosporaceæ	135. Trapaoliceæ
77. Cobæaceæ	97. Iridaceæ	117. Plumbaginaceæ	136. Umbelliferae
78. Commelinaceæ	98. Labiatae	118. Polemoniaceæ	137. Valerianaceæ
79. Compositæ	99. Leguminosæ	119. Polygalaceæ	138. Verbenaceæ
80. Coniferae	100. Liliaceæ	120. Polygonaceæ	139. Violaceæ
81. Convolvulaceæ	101. Limnanthaceæ		

The names of the Natural Orders ending in ACEÆ are chiefly derived from Generic Names, as CAMPANULACEÆ from CAMPANULA; such as end in Æ only are not, as COMPOSITE, LABIATÆ, &c.

ASSORTMENTS

OF

GERMAN FLOWER SEEDS

IN THE ORIGINAL SEALED PACKETS.

These Seeds continue to gain Prizes in all parts of the Kingdom.

No.		s.	d.
1	40 splendid varieties German Aster, separate, many new, <i>hha</i>	10	0
2	40 do. do. do. do.smaller packets	6	0
3	20 do. do. do. do.	5	0
4	20 do. do. do. do.smaller packets	3	0
5	16 beautiful new dwarf German Aster, ext. fine, separate.....	4	6
6	16 do. do. do. do. do.smaller packets	3	0
7	60 extra fine German Stock, separate, incl. several new, <i>hha</i>	15	0
8	60 do. do. do. do.smaller packets	8	0
9	25 do. do. do. all dwarf	7	6
10	25 do. do. do.smaller packets	4	0
11	12 finest dwarf do. do.	5	0
12	12 do. do. do.smaller packets	3	0
13	12 extra fine branching do. do.	4	0
14	12 do. do. do.smaller packets	2	6
15	12 finest wallflower-leaved or Prussian Stock, separate	3	6
16	12 do. do. do. do.smaller packets	2	0
17	12 splendid Autumnal or Intermediate do. do.	4	0
18	12 do. do. do. do.smaller packets	2	6
19	16 very fine Winter (Queen & Brompton) do. do. <i>hbb</i> .	5	0
20	16 do. do. do. do.smaller packets	3	0
21	8 do. do. do. do.	2	6
22	8 do. do. do. do.smaller packets	1	6
23	12 beautiful German Wallflower, several new <i>hp</i> .	5	0
24	12 do. do. do. do.smaller packets	3	0
25	12 finest double dwarf German Rocket Larkspur, separate..... <i>ha</i> .	3	0
26	10 do tall do do. <i>ha</i> .	2	6
27	16 extra fine double Poppy, separate <i>ha</i> .	3	0
28	8 splendid new large-flowered Scabious, separate <i>hp</i> .	2	6
29	20 very fine double Balsam, great variety, do. <i>ta</i> .	4	0
30	30 do do. German Hollyhoek, do. <i>hp</i> .	6	0
31	24 splendid varieties <i>Zinnia elegans</i> , several new <i>hha</i> .	8	0
32	12 do. do. separate <i>ha</i> .	5	0
33	15 extra fine <i>Petunia</i> , several new, do. <i>hha</i> .	5	0
34	12 fine African and French Marigold, do. <i>hha</i> .	3	0
35	8 very fine varieties <i>Helichrysum</i> (<i>Xeranthemum</i>), separate <i>hha</i> .	2	6

* * 36 to 44, *Sundry Assortments of Cape and other Seeds*, see page 24.

Explanations.—*HHA.* half-hardy annuals; *HHD.* half-hardy biennials; *HHP.* half-hardy perennials; *FGH.* frame or greenhouse; *HA.* hardy annuals; *HP.* hardy perennials. Many of the perennials flower the first year if sown in good time; viz. those marked † in the body of the Catalogue.

CATALOGUE.

N.B. The Numbers 1 to 24 represent the 24 Linnean Classes (see Column 1st), whereas those indicating the Linnean Orders (2nd Column) and the Natural Orders (3rd Column) are arbitrary; their signification is given above (see Page 3rd). Example, Campanula, 5, 25, 73, belongs to the 5th Linnean Class, *Pentandria*, the flower having 5 Stamens; to the Linnean Order *Monogynia*, from its having 1 Style (Pistillum); and to the Natural Order *Campanulaceae*, plants with Bell-shaped Flowers. See page 7.

MISCELLANEOUS FLOWER SEEDS.

The following Plants, with few exceptions, have no popular name; thus *Ageratum mexicanum* is rendered Mexican Ageratum, &c.—In giving orders it is sufficient to mention the numbers and date of the Catalogue, 1846.

A — indicates a variety. () That the word is not literally translated, or is superadded.		Linnean Class.	Linnean Order.	Natural Order.	Hardiness and Duration.	Colour of the Flower.	Height in Feet.	Month of Flowering.	Price per Packet.
THE ACCENTS.									
à, è, ì, ò, ù, y', as in <i>Acù-cia</i> , <i>Gardè-nia</i> , <i>Lupì-nus</i> , <i>Cù-cumis</i> , <i>Hy'-acinth</i> .									
á, é, í, ó, and y', as in <i>Itál-ica</i> , <i>él-egans</i> , <i>bíc-olor</i> , <i>Nemóph-ila</i> (ú does not occur).									
Scientific Name.									
No.							feet		s. d.
45 <i>Acàcia</i> , 12 sp., N.H.	12 <i>N. Holland sp.</i>	23	51	99	G.	y & w	4 & c	6-8	2 6
46 <i>Achimenes</i> , pl. sp.	(6 fine species)	14	59	95	...	div.	1	6-9	1 0
47 <i>Aconitum</i> , 6 species	(6 fine species)	13	28	124	hp	...	2 & c	...	6
48 <i>Adlùmia cirrhòsa**</i>	tendrilled	17	41	90	hpt	w & p	12	6-7	3
49 scandens**	climbing	3
50 <i>Ageràtum mexicanum</i>	Mexican	19	53	79	ha	bl.	1½	7-8	3
51 odoratum	fragrant	3
52 <i>Agrostis pulchella</i>	pretty	3	26	92	...	gr.	1	6-8	3
53 <i>Alonsòa grandiflora</i>	large-flowered	14	59	129	lhpt	se.	...	6-9	6
54 incisa et picta	(2 fine sorts)	s & o	6
55 <i>Alstrœmèria aurantiaca</i>	orange	6	25	64	...	or.	2½	6-8	6
56 Barclayana	Barclay's	b. o.	2	...	6
57 Cummingiana	Cumming's	y & o	6
58 Hookeri	Sir W. Hooker's	rose	6
59 — pallida	pale	r & y	6
60 Pelegrina	(striped) extra	stri.	6
61 — alba	white	wh.	6
62 pulchella	pretty	s & y	6
63 pulchra (tricolor)	beautiful	wpy	6
64 — — —	(fine mixed)	div.	1 0
65 <i>Alyssum saxatile</i>	rock	15	60	83	hpt	ycl.	1	4-6	3
66 <i>Amaranthus tricolor</i>	three-coloured	21	40	63	ta	var.	1½	7-9	3
67 <i>Amethystea cœrulea</i>	blue	2	25	98	ha	bl.	2	7-8	3
68 <i>Amphicomè arguta**</i>	(finely-cut)	14	59	70	lhpt	li.	1 0
69 <i>Anagallis arvensis</i>	(Pimpernel)	5	25	122	ha	sc.	½	...	3
70 carnica	flesh-coloured	fl.	1	...	3
71 indica	Indian	bl.	3
72 Monelli	Monelli's	fgh.	6-9	6

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
73	Anagallis Monelli, major	larger (flowered)	5	25	122	fgh	s. bl.	1	6-9	6
74	— Philipsi	Philips'	6
75	— superba	superb	bl.	...	1	0
76	— — —	finest mixed	div.	...	1	0
77	Anemone hortensis	garden (star)	13	35	124	hht†	5-7	6
78	Coronaria	(Poppy Anemone)	1½	...	6
79	— nova	(new early)	3-6	6
80	Hudsoniana	Hudson's Bay	wh.	...	4-6	6
81	Pulsatilla	(Pasque-flower)	vio.	½	5-6	6
82	Anomatheca cruenta	blood-red	3	25	97	...	red	1	6-9	6
83	Anthriscum annuum	annual	6	...	100	ha	yel.	¾	7-8	6
84	Lilium	lily-like	hp	wh.	1½	5-6	3
85	Aquilegia formosa	beautiful	13	30	124	hht†	r & o.	2	5-7	6
86	canadensis	Canadian	2½	...	6
87	elatior	— taller	3	...	6
88	glandulosa	glandular	w & b	2	...	6
89	grandiflora	large-flowered	bl.	3
90	sibirica	Siberian	b & w	3
91	Skinneri	Skinner's	6
92	speciosa	showy	bl.	6
93	— — —	fine mixed	div.	3
94	— — —	30 new var.	1	0
95	Arabis alpina	alpine	15	61	83	...	w & y	¾	4-6	3
96	Argemone grandiflora	large-flowered	13	25	114	ha	wh.	2½	7-8	6
97	Hunnemania	Hunneman's	yel.	2	...	6
98	mexicana	Mexican	3
99	Aristolochia, sp.**	(fine species)	20	41	66	G.	cl.	6
100	Asclepias curassavica	Curassoa	5	26	67	...	sc.	2½	7-9	6
101	Asphodelus fistulosus	fistulose	6	25	100	hp	wh.	1½	6-9	6
102	Aster pendulus	pendulous	19	54	79	hht†	bl.	2	6-8	6
103	tenellus*	slender	1	...	6
104	Astragalus, 6 sp.	(6 species, mix.)	17	45	99	hht†	div.	2	6-9	6
105	sp. Montes Him.	Himalayan sp.	6
106	Athanasia annua	annual	19	53	79	ha	yel.	½	7-8	3
107	Azalea, pl. sp. et var.	(20 fine var.)	5	25	87	hp	div.	2½	5-7	1
108	Bartonia aurea	golden	13	...	103	ha	ycl.	2	7-9	3
109	Begonia incarnata	flesh-coloured	21	48	69	G.	fl.	...	7-8	6
110	nitida	shining	S.	wh.	6
111	Bignonia, 3 sp.**	(3 fine species)	14	59	70	G.	div.	cl.	6-9	6
112	Billardiæra, 3 sp.**	(3 fine species)	5	25	116	6
113	Blumenbachia insignis	beautiful	18	48	103	ha	w & r	traï	7-8	6
114	Bomaria Salsilla**	Salsilla	6	25	64	hht†	g & c.	cl.	7-9	6
115	variabilis**	variable	1
116	Boronia ledifolia	Ledum-leaved	8	...	128	G.	wh.	1½	4-6	6
117	Bossiaea, 2 sp.	(2 fine species)	16	45	99	...	yel.	2	5-8	6
118	Brachycome iberidifolia	Iberis-leaved, ext.	19	54	79	hha	bl & c.	...	7-9	1
119	— grandiflora	large-flowered	1
120	Brachysema latifolium	broad-leaved	10	25	99	G.	cr.	6	5-8	1
121	Browalia elata	upright	14	59	129	gha	pur.	2	6-8	6
122	— alba	white	wh.	6

A — indicates a variety. () That the word is not literally translated, or is superadded.

<i>A — indicales a variety. () That the word is not literally translated, or is superadded.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
123	Brunfelsia, sp.	(fine species)	14	59	129	G.	yel.	4	6-8	6
124	Cacalia coccinea	scarlet	19	53	79	hha	sc.	$\frac{3}{4}$	7-8	3
125	— aurea	golden	or.	6
126	Calampellis scabra**	rough (podded)	14	59	70	hhpt	...	cl.	6-9	6
127	longiflora**	long-flowered	d.o.	6
128	Calandrinia discolor	two-coloured	11	25	121	hha	rose	2	7-8	6
129	grandiflora	large-flowered	p. r.	3
130	speciosa	showy	pur.	$\frac{1}{2}$...	3
131	Calceolaria pinnata	winged	2	...	129	...	yel.	1 $\frac{1}{2}$...	6
132	hybrida	new spotted	fgh	div.	2	6-9	1 6
133	— — —	finest mixed	1 0
134	Calliopsis (Coreopsis)	(finest mixed)	19	55	79	hha	7-9	6
135	bicolor	two-coloured	y&r.	3
136	— atrosanguinea	dark-red	d. r.	3
137	— fistulosa	quilled	y&r.	6
138	— nigra speciosa	showy black	dark	6
139	— grandiflora	large-flowered	y&r.	3
140	— semiplena	semi-double	6
141	Drummondii	Drummond's	y&d.	1	...	2
142	Atkinsonia	Atkinson's	hpt	ycl.	3	...	3
143	Callichroa platyglossa	(broad-rayed)	...	56	...	hha	...	1	7-8	3
144	Callistachys ovata	ovate	10	25	99	G.	...	4	6-8	6
145	Caltha Govaniana	(new sp. Tartary)	13	35	124	1 0
146	Campanula carpatica	Carpathian	5	25	73	hpt	bl.	$\frac{1}{2}$	6-8	3
147	grandiflora	large-flowered	1	...	6
148	grandis	grand	$\frac{1}{2}$...	6
149	latifolia, 2 sp.	broad-leaved	p&w	3	...	3
150	Medium	(Canterb. Bell)	bl.	2	...	3
151	— alba	white	wh.	3
152	— flore-pleno	double (3 var.)	div.	6
153	persicifolia	peach-leaved	b&w	3
154	pyramidalis	pyramidal	hp	bl.	3	...	3
155	— alba	— white	wh.	3
156	spatulata	spatulate	hbt	bl.	1	...	3
157	stricta	upright	1 $\frac{1}{2}$...	6
158	trachelioides	Trachelium-like	3	...	3
159	Lorei	Lore's	ha	...	1	7-8	3
160	— alba	— white	wh.	3
161	pentagonia	five-angled	pur.	3
162	— alba	— white	wh.	3
163	Cauna coccinea	scarlet	1	...	107	S.	sc.	2	year	6
164	Carthamus tinctorius	dyers'	19	53	79	ha	or.	5	7-9	3
165	Catananche lutea	yellow	yel.	1	7-8	3
166	cerulea	blue	hpt	bl.	2	6-8	3
167	— bicolor	two-coloured	w&c	6
168	Celsia cretica	Cretan	14	59	132	...	yel.	6	7-8	3
169	Centaurea americana	American	19	55	79	fgh	red	2	8-9	6
170	atropurpurea	dark purple	hpt	pur.	...	7-9	6
171	depressa	dwarf	ha	b&r.	3
172	splendens deusta	splendid	hbt	red	6

A—indicates a variety. () That the word is not literally translated, or is superadded.

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.		Li	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
173	<i>Cereus triangularis</i>	<i>triangular</i>	12	25	72	S.	wh.	1½	7-8	6
174	<i>Cbeiranthus fenestralis</i>	<i>transparent</i>	15	61	83	hbb+	pur.	1	...	6
175	<i>Chelœdœ barbata</i>	<i>bearded</i>	14	59	129	hhp+	sc.	2	...	6
176	<i>Lyœui</i>	<i>Lyon's</i>	pur.	2	...	6	
177	<i>Chorozeœma</i>	(3 fine species)	10	25	99	G.	yel.	...	5-6	6
178	<i>Cineraria</i> , pl. var.	(splendid mixed)	19	54	79	fgh	div.	...	5-7	1 6
179	<i>Cistus</i> , pl. sp.	(finest mixed)	13	25	76	hhp+	6-9	1 0
180	<i>Cladanthus arabicus</i>	<i>Arabian</i>	19	54	79	ha	yel.	1	7-8	3
181	<i>Clarkia elegans</i>	<i>elegant</i>	8	25	112	...	li.	2	...	3
182	— <i>rosea</i>	— <i>rose-coloured</i>	rose	3
183	— — <i>plœna</i>	— <i>double rose</i>	3
184	<i>pulchella</i>	<i>pretty</i>	1½	3
185	— <i>alba</i>	— <i>white</i>	wh.	3
186	— <i>grandiflœra</i>	— <i>large-flowered</i>	red	3
187	— <i>fimbriata</i>	— <i>fringed</i>	w&r	6
188	<i>Clœmatis Flammula**</i>	<i>flame</i>	13	35	124	hp	...	15	6-9	3
189	<i>montana**</i>	<i>mountain</i>	wh.	...	5-8	...	6
190	<i>Clœmc pentaphylla</i>	<i>five-leaved</i>	15	61	74	hha	...	2	7-8	6
191	<i>spiuosa</i>	<i>spiny</i>	rose	6
192	<i>Clianthus puniceus</i>	<i>granate-coloured</i>	17	45	99	G.	sc.	6	6-8	6
193	<i>Clintonia œlœgaus</i>	<i>elegant</i>	16	40	104	hha	bl.	1½	7-8	3
194	<i>pulchella</i>	(most beautiful)	3col.	6
195	<i>Clitœria</i> , 2 sp.	(2 fine species)	17	45	99	S.	l&r.	5	...	6
196	<i>Cobœa scandens**</i>	<i>climbing</i>	5	25	77	G.	pur.	30	6-9	6
197	<i>Collinsia bicolor</i>	<i>two-coloured</i>	14	59	129	ha	w&p	1½	7-8	3
198	<i>grandiflœra</i>	<i>large-flowered</i>	p&b.	1	3
199	<i>heterophylla</i>	<i>various-leaved</i>	w&r.	1½	3
200	<i>Collœmia coccinea</i>	<i>scarlet</i>	5	25	118	...	sc.	1	...	3
201	<i>Colœtea</i> , 2 sp. Chile	(2 Chilean species)	17	45	99	G.	6
202	<i>Commelina œlestis</i>	<i>sky-blue</i>	3	25	78	hhp+	bl.	...	6-8	6
203	— <i>alba</i>	(new white)	wh.	1 0
204	<i>Convolvulus</i> , 3 sp.**	(3 fine species)	5	...	81	G.	div.	cl.	...	1 0
205	<i>Corydalis glauca</i>	<i>sca-green</i>	17	41	90	ha	p&y.	2	7-8	3
206	<i>Cosmanthus fimbriatus</i>	<i>fringed</i>	5	25	96	hha	6
207	<i>Cosmea bipinuata</i>	<i>bipinnate</i>	19	55	79	...	pur.	2½	8-9	6
208	<i>Crotalaria elegans</i>	<i>elegant</i>	16	45	99	S.	yel.	3	6-8	6
209	<i>latifolia</i>	<i>broad-leaved</i>	yel.	6
210	<i>purpurea</i>	<i>purple</i>	pur.	6
211	— — —	<i>fine mixed</i>	y&p.	6
212	<i>Crucianella stylosa</i>	<i>long-styled</i>	4	25	127	hpt	pink	¾	...	3
213	<i>Cuphea silenoides</i> [tum	<i>Silenc-like</i>	11	...	106	ha	pur.	2	7-8	6
214	<i>Cynoglossum glochida-</i>	(sky-blue)	5	...	71	hpt	bl.	3	4-8	3
215	<i>Cytisus</i> , 4 sp.	(4 fine species)	16	45	99	hp	yel.	...	5-7	6
216	<i>Dahlia glabrata</i>	<i>smooth</i>	19	54	79	hhp+	div.	...	7-9	6
217	<i>cosmeœflœra</i>	<i>Cosmea-flowered</i>	6
218	<i>repens</i>	<i>trailing</i>	pur.	1	7-9	6	
219	<i>scapigera</i>	<i>scape-flowering</i>	6
220	<i>variabilis</i> , fl. pl.	(fine double, mix.)	div.	3&c	...	1 0	...
221	<i>Datura ceratocaula</i>	<i>horn-stalked</i>	5	25	132	hha	stri.	2½	7-8	3
222	<i>fastuosa</i>	<i>showy</i>	pur.	2	3

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		Cl.	L.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
223	<i>Datura fastuosa alba</i>	<i>white</i>	5	25	132	hha	wh.	2	7-8	3
224	<i>Delphinium aeneum</i>	<i>pleasing</i>	13	28	124	hpt	bl.	4	7-9	3
225	<i>cheilanthum</i>	<i>lip-flowered</i>	2½	...	3
226	<i>chinense</i>	<i>Chinese</i>	1½	...	3
227	— album	<i>white</i>	wh.	3
228	— — —	<i>(mixed Chinese)</i>	div.	6
229	<i>Clusii</i>	<i>Cluse's</i>	bl.	3	...	6
230	<i>grandiflorum</i>	<i>large-flowered</i>	1½	...	3
231	<i>lazulinum</i>	<i>lazuline</i>	l. b.	2½	...	3
232	<i>palmatifidum</i>	<i>palm-cut</i>	bl.	6
233	<i>punicum</i>	<i>purple</i>	pur.	6
234	<i>speciosum</i>	<i>showy</i>	bl.	3	...	10
235	<i>tricolor</i>	<i>three-coloured</i>	3col.	2½	...	6
236	<i>triste</i>	<i>sad</i>	br.	2	...	6
237	<i>volubile</i>	<i>climbing</i>	cl.	6
238	<i>urceolatum</i>	<i>pitcher (shaped)</i>	bl.	2	...	6
239	— — —	<i>finest mixed</i>	div.	2-3	...	6
240	<i>Dianthus atrorubens*</i>	<i>(dark red Pink)</i>	10	26	131	...	red	1	6-8	6
241	<i>barbatus</i>	<i>(Sweet William)</i>	hp	div.	1½	...	3
242	— coccineus	<i>scarlet do.</i>	sc.	6
243	— kermesinus	<i>crimson do.</i>	6
244	— flore-pleno	<i>double do.</i>	div.	6
245	<i>Caryophyllus</i>	<i>(Carnation)</i>	2	6-8	3
246	— flore-pleno	<i>double do.</i>	10
247	— — —	<i>ext. fine German</i>	hhp	26
248	— — —	<i>Picotee, fine</i>	hp	6
249	— — —	<i>ext. fine German</i>	hhp	26
250	<i>chinensis*</i>	<i>(Indian Pink) ex.</i>	hb†	...	1	...	6
251	— albus plenus	<i>double white do.</i>	wh.	6
252	<i>giganteus</i>	<i>gigantic</i>	red	4	...	6
253	<i>guttatus</i>	<i>spotted</i>	sp.	½	...	3
254	<i>hispanicus*</i>	<i>Spanish</i>	sc.	1	...	3
255	— splendens	<i>splendid</i>	6
256	<i>latifolius*</i>	<i>broad-leaved</i>	div.	3
257	<i>moschatus</i>	<i>(Garden Pink)</i>	hp	w&p	3
258	— flore-pleno	<i>double</i>	10
259	<i>plumarius, fl. pl.</i>	<i>feathered, dou.</i>	hpt	div.	6
260	<i>pulchellus</i>	<i>pretty</i>	hb†	6
261	<i>superbus</i>	<i>superb</i>	hpt	li.	1½	...	3
262	<i>Didiscus cæruleus</i>	<i>blue (Trachymene)</i>	5	25	136	hha	bl.	2	7-9	6
263	<i>Digitalis aurca</i>	<i>golden</i>	14	59	129	hpt	or.	3
264	<i>grandiflora</i>	<i>large-flowered</i>	buff	4	...	3
265	<i>lutea</i>	<i>yellow</i>	ycl.	2	...	3
266	<i>purpurea</i>	<i>purple</i>	pur.	3	...	3
267	— alba	<i>white</i>	wh.	3
268	— bicornuta	<i>two-horned</i>	3
269	— punctata	<i>spotted</i>	sp.	6
270	— rosea	<i>rose</i>	rose	3
271	<i>Winterli</i>	<i>Winter's</i>	3
272	<i>Diosma, 3 sp.</i>	<i>(3 fine species)</i>	5	25	128	G.	div.	1½	4-6	10

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			Li.	O.	N.	H. & Dur.	Col. of fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
273	Dodecátheon Meadia	<i>Meadia</i>	5	25	122	fgh	div.	1	5-7	1 0
274	Dolichos liguósus**	<i>lignous</i>	17	45	99	G.	pur.	cl.	6-8	6
275	Dracocéphalum altaiese	<i>Allaia</i>	14	58	98	hpt	bl.	$\frac{1}{2}$...	6
276	argunense	<i>Argun</i>	1 $\frac{1}{2}$...	6
277	canaricuse	<i>(Balm of Gilead)</i>	hhtp	p & p	2	...	3
278	Echinocactus Ottónis	<i>Otto's</i>	12	25	72	S.	div.	6
279	Echium, 3 sp.	<i>(3 fine species)</i>	5	...	71	ha	b & r	2	7-8	6
280	Elichrysū macranthum	<i>large-flowered</i>	19	54	79	hha	rose	3
281	— album	<i>white</i>	wh.	3
282	robustum	<i>robust</i>	6
283	Erica, 30 sp.	<i>(30 fine species)</i>	8	25	87	G.	div.	div.	div.	2 6
284	Erinus alpinus	<i>alpine</i>	14	59	129	hpt	li.	$\frac{1}{2}$	5-7	3
285	Erysimum alpinum	<i>alpine</i>	15	61	83	...	yel.	1	6-8	3
286	Peroffskianum	<i>Peroffski's</i>	ha	or.	1 $\frac{1}{2}$...	3
287	Eschscholtzia crocea	<i>orange</i>	13	29	114	hpt	or.	3
288	californica	<i>Californian</i>	yel.	3
289	compacta	<i>compact</i>	1	...	4
290	— — —	<i>Nos. 287 to 289</i>	9
291	Encharidinum concinnum	<i>neat</i>	8	25	112	ha	pur.	1	7-8	3
292	grandiflorum	<i>large-flowered</i>	3
293	Eutoca multiflora	<i>many-flowered</i>	5	...	96	...	sla.	3
294	viscida	<i>viscid</i>	bl.	3
295	Wrangeliāna	<i>Dr. Wrangel's</i>	li.	3
296	Farsëtia clypeata	<i>buckler (podded)</i>	15	60	83	hpt	yel.	1 $\frac{1}{2}$	6-7	3
297	Fedia cornucopiæ	<i>(Horn of Plenty)</i>	2	25	137	ha	red	1	7-8	3
298	Francœa appendiculata	<i>appendiced</i>	8	29	91	hpt	pink	2	...	6
299	Fuchsia, pl. sp. et var.	<i>(ext. fine hybrid)</i>	...	25	112	fgh	div.	...	6-9	1 6
300	Gaillardia aristata	<i>earled</i>	19	55	79	hp	or.	...	7-9	3
301	bicolor	<i>two-coloured</i>	y & b	3
302	Drummondii picta	<i>painted</i>	ha	y & s	6
303	— coccinea	<i>scarlet</i>	sc.	6
304	— — —	<i>fine mixed</i>	div.	6
305	Genista fragrans	<i>fragrant</i>	16	45	99	G.	yel.	2 $\frac{1}{2}$	6-8	6
306	3 sp.	<i>(3 fine species)</i>	6
307	Gentiana acaulis	<i>stemless</i>	5	26	93	hpt	bl.	$\frac{1}{2}$	4-7	6
308	campestris	<i>field</i>	ha	pur.	$\frac{1}{4}$	7-8	6
309	lutea	<i>yellow</i>	hp	yel.	4	6-8	6
310	macrophylla	<i>large-leaved</i>	pur.	1	...	6
311	purpurea	<i>purple</i>	3	...	6
312	nivalis	<i>snowy</i>	ha	bl.	$\frac{1}{4}$...	6
313	verna	<i>vernal</i>	hpt	6
314	Geranium ibéricum	<i>Iberian</i>	16	42	94	1 $\frac{1}{2}$	7-8	6
315	Gesnera, 12 sp.	<i>(12 fine species)</i>	14	59	95	S.	div.	...	7-9	1 0
316	Gœum coccineum	<i>scarlet</i>	12	35	126	hpt	sc.	2	...	3
317	— sanguineum	<i>blood-red</i>	d. r.	6
318	— splendens	<i>splendid</i>	b. s.	6
319	Gilia achilleaefolia	<i>Milfoil-leaved</i>	5	25	118	ha	bl.	...	7-8	3
320	capitata	<i>(bunch-flowered)</i>	b & w	3
321	splendens	<i>splendid</i>	rose	1 $\frac{1}{2}$...	3
322	tenuifolia	<i>fine-leaved</i>	2	...	3

A — indicates a variety. () That the word is not literally translated, or is superadded.

<i>A</i> —indicates a variety. () That the word is not literally translated, or is superadded.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of fl.	Hght. feet	M. of Flow.	Price. s. d.	
No.										
323	<i>Gilla tricolor</i>	three-coloured	5	25	118	ha	3eol.	1	7-8	3
324	— <i>albo-cærulea</i>	white and blue	w & b	3
325	<i>Gladiolus</i> , 20 var.	(20 fine var.)	3	...	97	hhp	div.	2	6-9	1 0
326	<i>Gloxinia</i> , 12 sp. et var.	(12 fine sp. & var.)	14	59	95	S.	...	1½	...	1 0
327	<i>Godetia</i> (<i>Enothëra</i>)	(fine mixed)	8	25	112	ha	...	1	7-8	6
328	<i>bifrons</i>	two-fronted	p & c.	3
329	<i>concinna</i>	neat	p & r.	¼	...	3
330	<i>densiflora</i>	thick-flowered	pur.	½	...	3
331	<i>lépida</i>	pretty	li.	1	...	3
332	<i>Lindleyana</i>	Dr. Lindley's	w & r.	3
333	<i>purpurea</i>	purple	pur.	3
334	<i>Romanzovii</i>	Romanzow's	3
335	<i>roseo-alba</i>	rose and white	r & w	3
336	<i>rubicunda</i>	blushing	pur.	1½	...	3
337	<i>tenuifolia</i>	fine-leaved	vio.	1	...	3
338	<i>vininea</i>	twiggy	li.	3	...	3
339	<i>vinosa</i>	wine-coloured	pur.	1	...	3
340	<i>Willdenovii</i>	Willdenow's	vio.	3
341	<i>Goodia lotifolia</i>	Lotus-leaved	16	45	99	G.	yel.	3	...	6
342	<i>pubescens</i>	pubescent	6
343	<i>Gossypium herbaceum</i>	(Cotton Plant)	...	48	108	S.	...	4	...	6
344	3 sp.	(3 fine species)	6
345	<i>Grislea tomentosa</i>	downy	8	25	106	...	red	3	5-6	6
346	<i>Gypsophila elegans</i>	elegant	10	26	131	ha	w & p	¾	7-8	3
347	<i>Hebenstreitia dentata</i>	indented	14	59	138	hha	wh.	1	6-8	6
348	<i>tenuifolia</i>	fine-leaved	6
349	<i>Hedyehium</i> , sp.	(fine species)	1	25	107	hgh	yel.	4	6-9	6
350	<i>Helénium Douglasii</i>	Douglas's	19	54	79	ha	...	2	7-8	3
351	<i>Helianthemum</i> , pl. sp.	(finest mixed)	13	25	76	hpt	div.	1	6-8	6
352	<i>guttatum</i>	spotted	ha	yel.	½	7-8	3
353	<i>Heliophila arabioides</i>	Arabis-like	15	61	83	hha	bl.	½	...	6
354	<i>Heliotropium peruvianum</i>	Peruvian	5	25	71	G.	...	3	...	6
355	<i>Illiciæium speciosum</i>	showy	19	53	79	hp	yel.	...	6-7	3
356	<i>Hibiscus africanus</i>	African	16	48	108	ha	y & d	2	7-8	3
357	<i>Humboldti</i>	Humboldt's	yel.	6
358	<i>palustris</i>	marsh	hpt	wh.	3	...	6
359	— <i>roseus</i>	rose-coloured	pink	6
360	<i>insignis</i>	beautiful	S.	rose	6
361	<i>Manihot</i>	Manihot	G.	y & p	6
362	<i>militaris</i>	military	pur.	6
363	<i>speciosus</i>	showy	sc.	2	...	6
364	— — —	5 fine sp. mixed	div.	2 & c	...	1 0
365	<i>Hovea Celsi</i>	Cels's	16	45	99	...	bl.	6	6-8	1 0
366	sp. <i>affinis</i>	related	red	1 0
367	<i>Hünea elegans</i> [folia	elegant	19	53	79	hpt	red	5	6-9	6
368	<i>Hunnebaumia fumaria-</i>	<i>Fumaria</i> -leaved	13	29	114	hpt	yel.	2	7-8	6
369	<i>Hypéricum elegans</i>	elegant	18	48	115	6
370	<i>Iberis Tenoreana</i>	Tenore's	15	60	83	...	r & p	1	...	6
371	<i>Impatiens glandulifera</i>	glandular	5	25	68	hha	pur.	3	6-9	3
372	<i>tricornis</i>	three-horned	yel.	6	...	3

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		C.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.									feet		s. d.
373	<i>Incarvillea capensis</i> **	<i>Cape</i>	14	59	70	G.	or.	wh.	8	7-9	6
374	<i>Ipomæa coccinea</i> **	<i>scarlet</i>	5	25	81	ghh	sc.	6-9	6
375	<i>bona-nox</i> **	<i>Good Night!</i>	wh.	10	6
376	— <i>purpurascens</i> *	<i>purple</i>	pur.	6
377	<i>Quamoclit</i> *	<i>(bright scarlet)</i>	sc.	6	6
378	<i>rubro-cærulea</i> *	<i>(sky-blue) true</i>	s. b.	10	...	2 6	6
379	<i>Sellowii</i> *	<i>Sellow's</i>	1 0	0
380	<i>tyrianthina</i> *	<i>purple</i>	pur.	2 6	6
381	<i>sp. punctata</i> *	<i>spotted</i>	w&p	6
382	<i>sp. semperflorens</i> *	<i>ever-flowering</i>	bl.	6
383	— — —	<i>6 fine sp. mixed</i>	div.	1 0	0
384	<i>Nil</i> *	<i>(Anil-blue)</i>	hha	bl.	...	7-9	6
385	<i>triloba</i> *	<i>three-lobed</i>	3
386	<i>suprba</i> *	<i>superb</i>	rose	3
387	<i>Ipomopsis elegans</i>	<i>elegant</i>	118	hbt	sc.	2	6
388	<i>picta</i>	<i>painted</i>	3	6
389	<i>Isotoma axillaris</i>	<i>axillary</i>	104	hlp+	bl.	1	7-8	...	6
390	<i>Kaulfussia amelloides</i>	<i>Amellus-like</i>	19	54	79	ha	3
391	<i>Kennedia Comptoniana</i> **	<i>Compton's</i>	17	45	99	G.	...	cl.	5-9	...	6
392	<i>Marryattii</i> **	<i>Mrs. Marryatt's</i>	sc.	...	6-9	1 0	0
393	<i>monophylla</i> **	<i>single-leaved</i>	bl.	6
394	<i>prostrata</i> **	<i>trailing</i>	sc.	6
395	<i>sp. coccinea</i> **	<i>scarlet species</i>	6
396	<i>sp. australis</i> **	<i>New Holland sp.</i>	6
397	<i>Lablab purpurea et alba</i>	<i>purple & white</i>	p&w	6	6
398	<i>Lantana Scloviæna</i>	<i>Sellow's</i>	14	59	138	hlp+	pur.	1½	6
399	<i>Lasthena californica</i>	<i>Californian</i>	19	54	79	ha	ycl.	2	7-8	...	3
400	<i>glabrata</i>	<i>smooth</i>	3
401	<i>Lathyrus</i> , 3 sp.	<i>(3 fine species)</i>	17	45	99	hpt	div.	6	6
402	<i>Lavatera arborea</i>	<i>tree-like</i>	16	48	108	...	pur.	...	6-8	...	3
403	<i>Salvitellensis</i>	<i>Salvitella</i>	ha	pink	2	7-8	3
404	<i>Lawsônia inermis</i>	<i>unarmed</i>	8	25	106	ghh	wh.	8	6-8	1 0	0
405	<i>Leptósiphon densiflorus</i>	<i>thick-flowered</i>	5	...	118	ha	li.	1	7-8	...	3
406	<i>androsæus</i>	<i>Androsæe-like</i>	div.	¾	3
407	— <i>albus</i>	<i>white</i>	wh.	3
408	<i>Leucadendron argenteum</i>	<i>(Silver Tree)</i>	22	39	123	G.	ycl.	6	...	1 0	0
409	<i>Leycesteria formosa</i>	<i>beautiful</i>	5	25	75	hp	w&p	...	7-9	...	6
410	<i>Leucopsidium arkansense</i>	<i>Arkansa's</i>	6
411	<i>Leucospermum conocar-</i>	<i>cone-fruited</i>	4	25	123	G.	ycl.	3	5-8	...	6
412	<i>Liätis spicata</i> [pum]	<i>spiked</i>	19	53	79	hpt	pur.	6	7-9	...	6
413	<i>Linum grandiflorum</i>	<i>large-flowered</i>	5	30	102	...	bl.	1	6-7	...	3
414	<i>monogynum</i>	<i>one-styled</i>	wh.	3	7-8	...	6
415	<i>perenne</i>	<i>perennial</i>	bl.	2	3
416	<i>Limnanthes Douglasii</i>	<i>Douglas's</i>	10	25	101	ha	w&y	¾	3
417	<i>grandiflora</i>	<i>large-flowered</i>	1	6
418	<i>Linaria</i> , 6 sp.	<i>(6 fine species)</i>	14	59	129	...	div.	1 0	0
419	<i>Lisianthus Russellianus</i>	<i>(D. of Bedford's)</i>	5	25	93	G.	pur	3	7-8	1 0	0
420	<i>Loisa Herberti</i> **	<i>Hon. Mr. Her-</i>	18	48	103	hlp+	d.o.	cl.	6-8	...	6
421	<i>aurantiaca</i> **	<i>orange</i> [bert's]	or.	6
422	<i>lucida</i> **	<i>shining</i>	w&s	1 0	0

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		L.	O.	N.	H. & Dur.	Col. of F.	Hght.	N. of Flow.	Price.
		L.	O.	N.	H. & Dur.	Col. of F.	Hght.	N. of Flow.	Price.
423	Loàsa Pentlandica**	18	48	103	bhp†		feet		s. d.
424	Placci	ha	yel.	2	6-8	6
425	tricolor	3col.	...	7-8	3
426	Lobelia azurea	5	25	104	bhp†	bl.	1	...	3
427	bicolor	ha	6
428	erinoides	bhp†	...	½	...	6
429	— rosea	rose	6
430	gracilis	ha	bl.	1	...	3
431	— alba	wh.	3
432	heterophylla	bhp†	bl.	2	...	6
433	ignea	G.	sc.	6
434	ramosa	bhp†	b&w	1½	7-8	6
435	senceioides, v. 389	bl.	1	...	6
436	Lopospermum scandens	14	59	129	G.	blsh.	el.	7-9	6
437	— Hendersoni**	spot.	6
438	atrosanguineum**	d. r.	6
439	erubescens**	pur.	6
440	Lotus albidus	17	45	99	gha	wh.	6
441	jacobaeus	dark	1½	7-8	6
442	Lupinus bicolor	16	ha	p&b	1	...	3
443	Hartwegii	b&w	2	...	3
444	mexicanus	bl.	3
445	mutabilis	var.	3	...	3
446	— Cruikshanksii	3	...	3
447	nanus	p&b	1	...	3
448	arbores	bhp†	div.	4	...	3
449	elegans	b&r	2	...	6
450	formosus	w&b	3	...	6
451	lepidus	b&p	1½	...	6
452	polyphyllus	bl.	3	...	3
453	— albus	wh.	3
454	— — —	div.	2&c	...	1 0
455	Lychnis fulgens	10	30	131	bhp†	se.	1	...	6
456	chalecedonia	hp	...	2	...	3
457	— alba et rosea	w&r	6
458	flos-Jovis	bhp†	red	1	...	3
459	Githago	ha	3
460	Lythrum alatum	11	25	106	bhp†	pur.	3	5-9	3
461	roscum superbum	rose	6
462	Madia elegans	19	54	79	bha	yel.	...	7-8	3
463	Málope trifida	16	48	108	bha	pur.	2	...	3
464	— grandiflora	3
465	— alba	wh.	3
466	Malva elegans	G.	se.	3	5-8	6
467	moschata	bhp†	wh.	2	7-8	3
468	Moreni	red	3
469	zebrina	ha	stri.	3
470	Manúca violacea	14	59	129	bhp	vio.	2	...	3
471	Martyria proboscidea	130	bha	li.	...	7-9	6
472	fragens (formosa)	var.	1 0

<i>A—indicates a variety. () That the word is not literally translated, or is superadded.</i>			<i>U.</i>	<i>L.</i>	<i>N.</i>	<i>H.</i>	<i>Dur.</i>	<i>Col.</i>	<i>of Fl.</i>	<i>Hght.</i>	<i>M. of</i>	<i>Price.</i>
<i>No.</i>			<i>L.</i>	<i>O.</i>	<i>O.</i>	<i>H.</i>	<i>Dur.</i>	<i>Col.</i>	<i>of Fl.</i>	<i>Hght.</i>	<i>M. of</i>	<i>Price.</i>
473	Marianthus cæruleus	blue					G			feet		s. d.
474	Maurandya Barclayana	Barclay's**	14	59	129	b & w	cl.	4-9		6
475	— alba**	white variety	wh.		6
476	antirrhiniflora**	Antirrhinum-fl.	p & w		6
477	semperflorens**	ever-flowering	ha	pink		6
478	— pulchella**	pretty	rose		6
479	McLaleuca, 3 sp.	(3 fine species)	18	48	109	y & r	4	...		6
480	Menziesia, 2 sp.	(2 fine species)	8	25	87	w & r	1	5-7		6
481	Mesembryanthemum sp.	(fine yellow)	12	27	89	hha	yel.	½	6-8	6
482	tricolor (pyropæum)	three-coloured	red		6
483	— album	white	wh.		6
484	Mimulus cardinalis	scarlet	14	59	129	hht	...	sc.	2	...		3
485	moschatns	musk	sp.	½	...		3
486	— novus	new musk	sp.	¾	...		6
487	röseus	rose-coloured		3
488	— — —	finest mixed new	div.	1	...		6
489	— — —	fine do.		3
490	Muraltia Heisteria	Heister's	17	43	119	G.	...	put.	3	5-8		6
491	Nemësia floribunda	bunch-flowered	14	59	129	hba	...	w & y	½	7-8		3
492	Nemóphila aurita	ear-shaped	5	25	96	ha	...	vio.	2½	...		3
493	atomaria	spotted	wh.	1	...		3
494	— azurea	— blue	sp.		3
495	discoidalis	(bordered)	bla.		6
496	insignis	beautiful	bl.		3
497	— alba	— new white	wh.		6
498	— grandiflora	— large-flowered	bl.		3
499	— punctata	— spotted	sp.		6
500	phacelioides	Phacelia-like	bl.		6
501	Nigella hispánica	Spanish	13	30	124		3
502	Nolane atriplicifolia	Atriplex-leaved	5	25	132	hha	3 col.	1		3
503	grandiflora	large-flowered	bl.		3
504	paradoxa	paradoxical	vio.		3
505	prostrata	prostrate	bl.		3
506	Nõnca rosea	rose-coloured	71	ha	rose		3
507	Nuytsia floribunda	bunch-flowered	6	...	105	G.	6	...	1 0	
508	Nymphaea, 2 sp.	(2 fine species)	13	...	111	S.	1 0	
509	Oenothera acaulis	stemless	8	...	112	hpt	3
510	biennis	biennial	hbt	3
511	Drummondii	Drummond's	ha	6
512	Fraseri	Fraser's	hht	3
513	hirsuta	hairy	6
514	longiflora	long-flowered	hbt	3
515	macrantha	large-flowered	ha	6
516	odorata	fragrant	hbt	3
517	rosea	rose-coloured	hht	3
518	Sellowii	Sellow's	3
519	speciosa	showy	ha	6
520	taraxacifolia	Dandelion-leaved	hpt	6
521	tetraptera	four-winged	ha	3
522	— — —	finest mixed	hpt	6

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.		Li.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price. s. d.	
No.										
523	<i>Ononis rotundifolia</i>	round-leaved	16	45	99	hpt	pink	3	5-7	6
524	<i>Oxalis rosea</i> [des	rosea	10	30	113	hpt	rose	1	7-8	6
525	<i>Oxyura chrysanthemoides</i>	<i>Chrysanthem.-fl.</i>	19	54	79	ha	w&y	3
526	<i>Pæonia</i> , 30 sp. et var.	30 fine sp. et var.	13	26	124	hp	div.	2&c	...	5 0
527	— — —	finest mixed	1 0
528	<i>Papaver amœnum</i>	pleasing	13	25	114	ha	ver.	2	...	3
529	<i>pulcherrimum</i>	beautiful	hpt	sc.	3	...	3
530	6 sp.	6 finest mixed	div.	6
531	<i>Passiflora cærulea</i> **	blue-flowered	16	40	115	...	bl.	cl.	6-9	6
532	4 sp. **	finest mixed	G.	div.	1 0
533	<i>Pawlonia imperialis</i>	imperial	6
534	<i>Pelargonium</i> (Geranium)	(finest mixed)	16	42	94	G.	div.	3	7-9	2 6
535	— — —	small packet	1 0
536	<i>coccineum</i>	scarlet	sc.	1 0
537	— <i>natum</i>	(Tom Thumb)	1 0
538	<i>Pentapetes phœnicea</i>	purple	...	46	108	2	...	6
539	<i>Pentstemon atrorubens</i>	dark-red	14	59	129	hpt	d. r.	6
540	<i>campanulatum</i>	bell-flowered	pur.	3
541	— <i>album</i>	white	wh.	3
542	<i>digitalis</i>	<i>Digitalis-like</i>	pale	3
543	<i>gentianoides</i>	<i>Gentian-like</i>	er.	3
544	— <i>coccineum</i>	scarlet	sc.	6
545	<i>gracilis</i>	slender	bl.	3
546	<i>hirsutum</i>	hairy	p. p.	3
547	<i>Mackayianum</i>	Mackay's	p&y.	3
548	<i>roseum</i>	rose-coloured	rose	3
549	<i>Scouleri</i>	Scouler's	bl.	6
550	<i>speciosum</i>	showy	s. b.	1 0
551	— — —	finest mixed	div.	1 0
552	<i>Petunia phœnicea</i>	purple	5	25	132	hpt	pur.	...	6-9	3
553	<i>violæa</i>	viola	vio.	3
554	<i>nyctaginiflora</i>	(white)	wh.	3
555	— — —	(splendid mixed)	div.	1 0
556	<i>Phacelia</i> , 2 sp.	(2 fine species)	96	ha	bl.	...	7-8	3
557	<i>Phlox Drummondii</i> , 20 v.	Drummond's	118	hha	div.	1½	6-9	6
558	— <i>splendens</i>	splendid	se.	1 0
559	— <i>kermesina</i>	crimson	cr.	1 0
560	— <i>mesochlora</i>	white-centred	rose	1 0
561	pl. sp. <i>perennans</i>	perennial, mixed	hpt	div.	2	...	6
562	<i>Pimælea</i> , 3 fine sp.	(3 fine species, m.)	2	...	134	G.	...	3	...	1 0
563	<i>Pinus Acahuyte</i>	<i>Acahuyte</i> (new)	10	49	80	Tree	2 6
564	<i>Platylòbinum triangulære</i>	triangular	16	45	99	G.	or.	4	6-9	6
565	<i>Platystemon californicum</i>	Californian	13	25	114	ha	yel.	½	7-8	6
566	<i>Podolèpis elchysanthia</i>	golden-flowered	19	54	79	lha	6
567	<i>gracilis</i>	slender	pur.	3
568	<i>Poinciana pulcherrima</i>	beautiful	10	25	99	S.	3col.	10	6-9	6
569	— <i>lutea</i>	yellow	yel.	6
570	<i>Portulaca grandiflora</i>	large-flowered	11	...	121	hha	var.	½	7-9	6
571	<i>splendens</i>	splendid	c.w.	6
572	<i>Thellusoni</i>	Thelluson's	sc.	6

<i>A— indicates a variety. () That the word is not literally translated, or is superadded.</i>			Cl.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			L.	L.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
573	Potentilla formosa	beautiful	12	35	126	hpt	pur.	1½	...	s. d.
574	atrosanguinea	dark-red	red	3
575	— Garnieriana	Garnier's	y & r.	10
576	Mackayana	Mackay's	y & p.	6
577	— — —	fine mixed	div.	6
578	Primula cortusoides	Cortusa-like	5	25	122	G.	pur.	½	5-7	6
579	sinensis fimbriata	fringed	1	...	6
580	— alba	white	wh.	6
581	— — —	mixed	w & p	6
582	nivābs	snowy	pur.	½	5-7	6
583	Pultenaea, 6 sp.	(6 fine species)	10	25	99	10
584	Ramonda pyrenæica	Pyrenean	5	...	132	hpt	pur.	¼	6-8	6
585	Ranunculus asiaticus	Asiatic (extra)	13	35	124	hp	div.	1	6-8	10
586	Rhodanthe Manglesi	Capt. Mangles'	19	54	79	lha	rose	6
587	Rhododendron, pl. sp.	(finest mixed)	10	25	87	hp	div.	10
588	Sanvitalia procumbens	procumbent	19	54	79	lha	yel.	trai	7-9	6
589	Salpiglossis picta	painted	14	59	132	hbb+	var.	2	6-9	6
590	atropurpurea	dark-purple	pur.	6
591	— — —	splendid mixed	div.	10
592	Saponaria calabrica	Calabrian	10	26	131	ha	pink	¾	7-9	6
593	Salvia bicolor	two-coloured	2	25	98	hpt	b & w	3	...	6
594	coccinea	scarlet	se.	2	...	6
595	dulcis	sweet	6
596	limbata	bordered	bord	2½	...	3
597	pätens	(sky-blue)	bl.	4	...	10
598	Schizanthus Grahâmi	Graham's	14	59	129	hha	r & y	2	7-9	6
599	Hookeri	Sir W. Hooker's	r & l	6
600	retusus	retuse	e & y	6
601	— superbus	superb	var.	3
602	pinnatus	winged	ha	l.p.y.	1½	7-8	6
603	— humilis	dwarf	l.r.y.	1	...	3
604	— porrigens	spreading	l.p.y.	1½	...	3
605	— Priestii	Priest's	wh.	3
606	— pulchellus	pretty	w & p	3
607	— venustus	beautiful	dark	3
608	Schizopetalon Walkeri	Walker's	15	61	83	lha	wh.	1	7-8	6
609	Scutellaria, 4 sp.	(4 fine species)	14	58	98	hpt	div.	...	6-8	6
610	splendens	splendid	se.	10
611	Scyphanthus elegans**	elegant	18	48	103	hbp+	yel.	cl.	7-9	6
612	Sedum cæruleum	blue-flowered	10	30	82	...	bl.	¼	...	6
613	Silene fimbriata	fringed	...	28	131	hpt	wh.	2½	5-8	6
614	compacta	compact	ha	pink	1½	7-8	3
615	pendula	pendulous	rose	1	...	3
616	picta	painted	pink	3
617	règia	royal	hpt	sc.	1½	6-9	6
618	ornata	ornamented	hbt	pur.	1	5-8	6
619	Sisyrinchium anceps	two-edged	3	25	97	hp	bl.	1½	6-9	6
620	grandiflorum	large-flowered	10
621	Sollya heterophylla**	various-leaved	5	...	99	G.	...	6	7-9	6
622	Sphærogyne speciosa	showy	19	55	79	hha	y & d	1½	7-8	6

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		C.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price.
		L.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price.
623	Stachys coccinea	scarlet	14	58	98	hpt	sc.	1 1/2	6-8	6	s. d.
624	speciosa	showy	6
625	Static latifolia	broad-leaved	5	30	117	hp	bl.	1	5-7	3	6
626	Stenactis speciosa	showy	19	54	79	hpt	pur.	2	6-8	3	3
627	Stenantha, 4 sp.	(4 fine species)	5	25	86	G.	1 0	6
628	Stevia purpurea	purple	19	54	79	hpt	pur.	1	7-9	3	6
629	Stipa pennata	feathered	3	26	92	...	gr.	2	...	6	6
630	Streptocarpus Rexii	Rex's	2	25	70	G.	bl.	1/2	6-8	6	6
631	Sutherlandia frutescens	frutescens	17	45	99	hhpt	sc.	3	7-8	3	6
632	grandiflora	large-flowered	6
633	Tagetes lucida	shining	19	54	79	hhpt	yel.	1	...	6	6
634	signata	distinguished	hha	or.	6	6
635	Thunbergia alata**	winged	2	25	62	G.	y & d	cl.	6-9	6	6
636	— alba**	white	w & d	6	6
637	— aurantiaca**	orange	o & d	6	6
638	— Barkeri**	Barker's	wh.	6	6
639	— Freyeri**	Freyer's	yel.	6	6
640	— mesochlora**	white-centred	y & w	1 0	6
641	— Zeihleri**	Zeihler's	o & w	1 0	6
642	chrysops**	yellow-eyed.	1 0	6
643	Tigridia Pavonia	(Tiger-flower)	16	38	97	hhp	o & r	1	7-9	3	6
644	Trachelium caeruleum	blue	5	25	73	hpt	bl.	2	7-8	6	6
645	Tropaeolum azureum**	blue (Nasturtion)	8	...	135	G.	...	cl.	6-9	1 0	6
646	brachyceras**	short-horned	yel.	1 0	6
647	elegans**	elegant	pale	1 0	6
648	Jarattii**	Mr. Jarratt's	s & y	1 0	6
649	tricolorum**	three-coloured	3col.	1 0	6
650	sp. ex Chili**	Chilian species	b. y.	1 0	6
651	— — —	Nos. 645 to 650.	div.	5 0	6
652	peregrinum**	(Canary-Bird)	hha	yel.	6	6
653	Tweedia caerulea	blue	5	26	67	G.	bl.	3	...	6	6
654	Verbascum formosum	beautiful	5	25	132	hpt	yel.	2	7-8	3	6
655	3 species	(3 fine species)	div.	6	6
656	Verbena Aubletia	Aublet's	14	59	138	hhpt	li.	1	6-9	6	6
657	pulchella	pretty	bl.	6	6
658	venosa	veiny	rosc	6	6
659	— — —	(beautifulmixed)	div.	1 0	6
660	Veronica speciosa	showy	2	25	129	2	...	1 0	6
661	Viscaria cœli-rosa	Rose of Heaven	10	30	131	ha	fl.	1	7-8	3	6
662	oculata	(dark-eyed)	rosc	6	6
663	— grandiflora	large-flowered	1 0	6
664	— kermesina	crimson	cr.	1 0	6
665	Viuca rosea et alba	rose and white	5	25	65	ghh	r & w	...	3-9	6	6
666	Viola odorata	fragrant	139	hpt	div.	...	5-7	6	6
667	suavis	sweet (Russian)	bl.	6	6
668	Wahlbergia capillaris	capillary	73	6-8	6	6
669	Ximenesia cneclroides	Eneelia-like	19	54	79	hhpt	yel.	3	7-9	3	6
670	Yucca, 2 sp. Mexico	(2 Mexican sp.)	6	25	100	1 0	6
671	Zinnia elegans	elegant	19	54	79	hha	vio.	2	...	6	6
672	— alba	white	wh.	6	6

<i>A</i> —indicates a variety. () That the word is not literally translated, or is superadded.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.		
No.								feet		s. d.		
673	<i>Zinnia elegans</i>	<i>erodea</i>	orange	19	54	79	hha	or.	2	7-9	6	
674	—	<i>atro-coerulea</i>	dark-scarlet	d. s.	6	
675	—	<i>coccinea</i>	scarlet	se.	6	
676	—	<i>flava</i>	yellow	yel.	6	
677	—	<i>grandiflora</i>	large-flowered	pur.	6	
678	—	<i>kermesilla</i>	crimson	cr.	6	
679	—	<i>purpurea</i>	purple	pur.	6	
680	—	<i>rosea</i>	rose-coloured	rose	6	
681	—	<i>zinnaberrina</i>	carmine	car.	6	
682	—	—	Nos. 671 to 681.	5	0	
683	—	—	splendid mixed	div.	...	1	0	
684	Fine mixed Greenhouse Seeds from the Cape, New Holland, &c.										1	0
685	Fine mixed Hothouse Seeds from the East Indies, South America, &c. ..										1	0

The following plants are best known by the English Names, but as the Scientific Name is requisite to show the genus to which they belong, it is also given. Such Popular Names as *Flos Adonis*, *White Candytuft*, &c., having no affinity with the Latin, are not to be considered as translations.

<i>A</i> — is employed to indicate varieties.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
686	Aster, Chinese, m.	<i>Aster sinensis</i> , pl. var.	19	54	79	hha	div.	2	8-10	3
687	quilled (German)	— <i>fistulosus</i> , 20 v.	0
688	dark blue	— <i>atro-ceruleus</i>	d. b.	4
689	light blue	— <i>late-ceruleus</i>	l. b.	4
690	rose	— <i>roseus</i>	rose	4
691	Turkey	— <i>turcius</i>	d. r.	4
692	white	— <i>albus</i>	wh.	4
693	Anemone-flower.	— <i>anemoniflorus</i>	red	4
694	bordered, 4 var.	— <i>limbatus</i>	bor.	6
695	new globe, 12 var.	— <i>globosus</i>	div.	6
696	pyramidal, 6 var.	— <i>pyramidalis</i>	6
697	striped, 8 var.	— <i>striatus</i>	6
698	variegated, 6 var.	— <i>variegatus</i>	6
699	new dwarf, 12 var.	— <i>nanus nobus</i>	1	7-9	6
700	Nos. 686 to 699	— — —	5 0
701	Auricula, fine alpine	<i>Primula Auricula</i>	5	25	122	hp	div.	½	5-7	6
702	extra fine	— — —	2 6
703	Balsam, finest mixed	<i>Balsamina hortensis</i>	68	ta	...	2	7-9	6
704	dark lilac	— <i>atro-lilacina</i>	d. l.	4
705	flesh-coloured	— <i>incarnata</i>	fl.	4
706	— variegated	— <i>variegata</i>	var.	4
707	purple	— <i>purpurea</i>	pur.	4
708	rose	— <i>rosea</i>	rose	4
709	— shaded	— <i>umbrata</i>	6
710	scarlet	— <i>coccinea</i>	sc.	4

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
711	Balsam, sc. shaded	— <i>coccinea umbrosa</i>	5	25	68	ta	sc.	2	7-9	6
712	— variegated	— <i>variegata</i>	var.	6
713	spotted, 6 var.	— <i>punctata</i>	div.	6
714	striped, 6 var.	— <i>striata</i>	6
715	three-coloured	— <i>tricolor</i>	3col.	6
716	Camellia-fl. 10 var.	— <i>Camelliaeflora</i>	div.	1 0
717	rose-fl. 10 var.	— <i>roseiflora</i>	1 0
718	dwarf scarlet	— <i>coccinea nana</i>	sc.	1	...	3
719	new mixed dwarf	— <i>nana, pl. var.</i>	div.	6
720	Candytuft, fragrant	<i>Iberis odorata</i>	15	60	83	ha	wh.	...	7-8	3
721	new blush	<i>umbellata carnea</i>	fl.	3
722	new crimson	— <i>kermesina</i>	crim.	3
723	new rocket	— <i>coronaria</i>	wh.	3
724	purple	— <i>purpurea</i>	pur.	3
725	white	<i>amara</i>	wh.	3
726	mixed	— — —	div.	3
727	Capsicum, 10 var.	<i>Capsicum annuum</i>	5	25	132	ta	...	2	7-9	6
728	Catchfly, Lobel's	<i>Silene Armeria</i>	10	28	131	ha	red	1	7-8	3
729	white	— <i>alba</i>	wh.	3
730	Cockscomb, dwarf	<i>Celosia cristata, nana</i>	5	25	63	ta	cr.	...	7-9	6
731	Brighton prize	— — —	6
732	bordered, 4 var.	— <i>cincta</i>	div.	1½	...	6
733	rose	— <i>rosea</i>	rose	6
734	scarlet	— <i>coccinea</i>	sc.	6
735	yellow	— <i>flava</i>	yel.	6
736	mixed	— — —	div.	6
737	Columbine, mixed	<i>Aquilegia vulgaris</i>	13	30	124	hpt	...	2	5-7	3
738	Chrysanthemum, y.	<i>Chrysan. Coronarium</i>	19	54	79	ha	yel.	3	7-8	3
739	white	— <i>album</i>	wh.	3
740	(tricolor)	<i>carinatum</i>	3col.	1	...	3
741	new golden	— <i>luteum</i>	yel.	3
742	showy	<i>spectabile</i>	3
743	Convolvulus minor	<i>Convolvulus tricolor</i>	5	25	81	...	3col.	trai	...	3
744	new dark (extra)	— <i>atropurpureus</i>	pur.	6
745	white	— <i>albus</i>	wh.	3
746	mixed minor	— — —	div.	3
747	major	<i>Ipomea purpurea</i>	hha	...	cl.	7-9	3
748	extra fine, 16 var.	— — —	1 0
749	rose	— <i>rosea</i>	rose	3
750	spotted	— <i>punctata</i>	sp.	3
751	striped	— <i>striata</i>	stri.	3
752	violet, dark	— <i>atroviolacea</i>	dark	3
753	Cyanus, extra fine	<i>Centaurea Cyanus</i>	19	55	79	ha	div.	2	6-9	3
754	Egg Plant, purple	<i>Solanum ovigerum</i>	5	25	132	ta	pur.	...	7-9	3
755	white	— <i>leucocarpum</i>	wh.	3
756	Chilian species	— <i>sp. ex. Chili</i>	6
757	Flos Adonis	<i>Adonis vernalis</i>	13	35	124	ha	sc.	1	...	3
758	Fraxinella, red	<i>Dictamnus Fraxinella</i>	10	25	128	hp	red	3	...	3
759	white	— <i>albus</i> [rium	wh.	3
760	French Honeysuckle	<i>Hedysarum Coronaria</i>	17	45	99	hht	red	2	6-8	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		<i>s. d.</i>
761	Fr. Honeysuckle, wh.	<i>Hedy'sarum album</i>	17	45	99	hbpt	wh.	2	6-8	3
762	Globe Amaranthus	<i>Gomphrena globosa</i>	5	25	63	ta	pur.	...	7-9	3
763	flesh-coloured	— <i>carnea</i>	fl.	3
764	striped	— <i>striata</i>	stri.	3
765	white	— <i>alba</i>	wh.	3
766	fine mixed	— — —	div.	3
767	Gourd, Bottle	<i>Cucurbita Lagenaria</i>	21	49	84	fa	wh.	tra	...	6
768	Egyptian	— <i>egyptiaca</i>	3
769	Hereules' Club	— <i>clavata</i>	6
770	orange	<i>aurantia</i>	yel.	3
771	finest mixed	— — —	y & w	6
772	striped pear	<i>ovata striata</i>	yel.	3
773	Mammoth	<i>Pèpo</i>	3
774	Hawkweed, purple	<i>Crèpis rubra</i>	19	53	79	ha	red	1	7-8	3
775	new white	— <i>alba</i>	wh.	3
776	yellow	<i>Tolpis barbata</i>	yel.	3
777	silvery	— <i>argentea</i>	sil.	3
778	Heartsease, ext. fine	<i>Viola tricolor, pl. var.</i>	5	25	139	hpt	div.	1 0
779	Hollyhock, crimson	<i>Althæa rosea, kerm.</i>	16	48	108	hp	er.	7	6-9	3
780	black	— <i>nigra</i>	bla.	3
781	rose	— <i>roseacea</i>	rose	3
782	yellow	— <i>flava</i>	yel.	3
783	white	— <i>alba</i>	wh.	3
784	20 finest var.	— — —	div.	1 0
785	larger packet	— — —	2 6
786	Chinese, 2 var.	<i>chinensis</i>	v & p	6
787	Horn Poppy, fine m.	<i>Glaucium, pl. var.</i>	13	25	114	ha	div.	2	7-8	3
788	scarlet	<i>phæniccum</i>	se.	3
789	yellow	<i>flavum</i>	yel.	3
790	three-coloured	<i>tricolor</i>	3col.	3
791	violet	<i>Rœmèria hy'brida</i>	vio.	3
792	Ice Plant	<i>Mesemb. crystallinum</i>	12	27	89	ta	wh.	tra	5-8	3
793	Jacobæa, purple	<i>Senecio elegans</i>	19	54	79	hha	pur.	1½	7-8	3
794	double crimson	— <i>kermesina plena</i>	er.	3
795	— Mulberry	— <i>moricolor</i>	mul.	3
796	— purple	— <i>purpurea</i>	pur.	3
797	— violet	— <i>violacea</i>	vio.	3
798	— white	— <i>alba</i>	wh.	3
799	— finest mixed	— — —	div.	6
800	Larkspur, dwarf m.	<i>Delphinium Ajacis</i>	13	28	124	ha	...	1	...	3
801	German, large P.	— — —	1 0
802	dwarf blue	<i>humile cœruleum</i>	bl.	3
803	— purple	— <i>purpureum</i>	pur.	3
804	— rose	— <i>roseum</i>	rose	3
805	— white	— <i>album</i>	wh.	3
806	tall, mixed	<i>elatior, pl. var.</i>	div.	1½	...	3
807	— German, large	— — —	1 0
808	— blue	— <i>azdreum</i>	bl.	3
809	— rose	— <i>roseum</i>	rose	3
810	— white	— <i>album</i>	wh.	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
811	branching, large	<i>Delphinium consolida</i>	13	28	124	ha	div.	2	7-8	1 0
812	— sky-blue	— <i>azurum</i>	bl.	3
813	— rose	— <i>roseum</i>	rose	3
814	perennial	— <i>elatum</i>	hpt	bl.	4	7-9	3
815	Lavatera, red	<i>Lavatera trimestris</i>	16	48	108	ha	red	3	7-8	3
816	white	— <i>alba</i>	wh.	3
817	Love-lies-bleeding	<i>Amaranthus caudatus</i>	21	40	63	...	red	3
818	pale buff	— <i>lutescens</i>	buff	3
819	Lupins, Dutch blue	— <i>canaliculatus</i>	16	45	99	...	bl.	2	...	3
820	large blue	— <i>hirsutus</i>	3
821	— rose	— <i>pilosus</i>	rose	3
822	small blue	— <i>angustifolius</i>	bl.	3
823	white	— <i>albus</i>	wh.	3
824	yellow	— <i>luteus</i>	yel.	1½	...	3
825	straw-coloured	— <i>stramineus</i>	stra.	3
826	mixed	— — —	div.	3
827	Mallow, 5 sp. sep.	<i>Malva pl. sp. et var.</i>	16	48	108	2	...	1 0
828	Marigold, French, m.	<i>Tagetes patula, pl. var.</i>	19	54	79	hha	...	1½	7-9	3
829	French, dwarf	— <i>humilis</i>	d.br.	1	...	3
830	— tall	— <i>majus</i>	y & b	2	...	3
831	— superb striped	— <i>striata superba</i>	stri.	1½	...	6
832	— unique	— <i>simplex</i>	3
833	African	— <i>erecta, pl. var.</i>	y & o.	2	...	3
834	— new dwarf	— <i>humilis nova</i>	or.	1	...	3
835	— lemon	— <i>citrina</i>	yel.	2	...	3
836	— orange	— <i>aurantiaca</i>	or.	3
837	Marigold, Cape	<i>Calendula pluvialis</i>	...	56	...	ha	w & p	1	7-8	3
838	hybrid Cape	— <i>hybrida</i>	wh.	3
839	star-flowered	— <i>stellata</i>	or.	2	...	3
840	superb	— <i>officinalis superba</i>	s & r.	1½	7-9	6
841	Marvel of Peru	<i>Mirabilis Jalapa</i>	5	25	110	hlp	div.	3	...	3
842	red	— <i>rubra</i>	red	3
843	— striped	— <i>striata</i>	r. s.	3
844	yellow	— <i>flava</i>	yel.	3
845	— striped	— <i>striata</i>	y. s.	3
846	white	— <i>alba</i>	wh.	3
847	three-coloured	— <i>tricolor</i>	3col.	3
848	sweet-scented	— <i>longiflora</i>	wh.	3
849	— purple	— <i>purpurea</i>	pur.	3
850	12 fine var. mixed	— — —	div.	1 0
851	Mignonette, oz. 6d.	<i>Reseda odorata</i>	11	28	125	ha	buff	1½	...	3
852	Nasturtions, tall**	<i>Tropaeolum Majus</i>	8	43	135	...	o & y.	cl.	...	3
853	dark red**	— <i>atrosanguineum</i>	d. r.	3
854	carmine**	— <i>miniatum</i>	car.	6
855	spotted**	— <i>venustum</i>	sp.	3
856	buff**	— <i>fulvum</i>	buff	3
857	dwarf	— <i>minus</i>	s & o.	trai	...	3
858	common dwarf	— — —	or.	3
859	Nos. 852 to 858	— — —	div.	1 6
860	Palma Christi	<i>Ricinus major</i>	21	49	88	lha	pale	6	...	3

<i>A — is employed to indicate varieties.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
861	Pea, Tangier	<i>Láthyruſ tingitánus</i>	17	45	99	ha	ſc.	4	7-8	3
862	new ſtriped	— <i>ſtriátus nōvus</i>	ſtr.	3
863	Lord Anſon's 2 v.	<i>Magellánicus</i>	b & w	5	...	3
864	winged, 2 var.	<i>Tetragonólobus</i> , 2 var.	s & y.	1	...	3
865	Pea, Sweet, m. lb. 4s.	<i>Láthyruſ odorátus</i>	div.	4	...	3
866	black	— <i>niger</i>	bla.	3
867	painted Lady	— <i>pictus</i>	var.	3
868	purple	— <i>purpúreus</i>	pur.	3
869	ſcarlet	— <i>coccineus</i>	ſe.	3
870	ſtriped	— <i>ſtriátus</i>	ſtri.	3
871	— new ſtriped	— — <i>nōvus</i>	3
872	white	— <i>albus</i>	wh.	3
873	Pericaria, red	<i>Poly'gonum orientále</i>	8	28	120	...	red	5	...	3
874	white	— <i>album</i>	wh.	3
875	Polyanthus, mixed	<i>Primula clátior</i>	5	25	122	hp†	div.	1	4-6	3
876	— extra fine	— — —	1	0
877	Poppy, doub. 20 var.	<i>Papáver ſonníferum</i>	13	...	114	ha	...	2	7-8	3
878	black	— <i>nigrum</i>	bla.	3
879	bluſh	— <i>roſeum</i>	roſe	3
880	carnation	— <i>incarnátum</i>	fl.	3
881	fringed	— <i>fimbriátum</i>	frin.	3
882	lilac	— <i>litáœum</i>	li.	3
883	ſtriped roſe	— <i>roſeum ſtriátum</i>	ſtri.	3
884	ſcarlet	— <i>coccineum</i>	ſc.	3
885	— new large	— <i>grandiflórum</i>	3
886	— ſtriped	— — <i>ſtriátum</i>	s. ſt.	3
887	white	— <i>album</i>	wh.	3
888	new, 10 var.	— <i>Murſelli</i>	div.	3
889	Pæony-flowered	— <i>pæniæflórum</i>	6
890	ſuperb ſtriped	— <i>ſtriátum ſuperb.</i>	6
891	dwarf French	<i>Rhæas, fl. pleno</i>	1½	...	3
892	— orange	— <i>aurantiacum</i>	or.	3
893	— pink	— <i>roſeum</i>	roſe	3
894	— red and white	— <i>rubro-album</i>	r & w	3
895	— ſcarlet	— <i>coccineum</i>	ſc.	3
896	Nos. 878 to 895	— — — [cus]	4	0
897	Prince's Feather	<i>Amar. hypochondria-</i>	21	40	63	hha	pur.	3	7-8	3
898	new Giant	— <i>ſpecioſus</i>	3
899	Quaking Graſs	<i>Briza marina</i>	3	26	92	ha	gr.	1½	7-9	3
900	Rocket, ſweet	<i>Hesperis triſtis</i>	15	61	83	hp†	wh.	...	5-8	3
901	purple	— <i>matronális</i>	pur.	1½	...	3
902	Scabious, fine dwarf	<i>Scabióſa nána</i>	4	25	85	ha	div.	1	7-8	3
903	dark purple	— <i>atropurpúrea</i>	hp†	d. p.	2	...	3
904	mixed	— <i>pl. var.</i>	div.	3
905	new large, 16 var.	— <i>major, extra</i>	1	0
906	Senſitive Plant	<i>Mimóſa ſenſitiva</i>	23	51	99	ta	pink	2	6-9	6
907	Snapdragon, mixed	<i>Antirrhinum Májuſ</i>	14	59	129	hp†	div.	3
908	ſplendid new	— — —	1	0
909	Carnation	— <i>caryophylloides</i>	ſtri.	3
910	pink	— <i>roſeum</i>	roſe	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
911	Snapdragon, painted	<i>Antirr. Mijus pictum</i>	14	59	129	hpt	var.	2	6-9	3
912	scarlet	— <i>coccineum</i>	sc.	3
913	— new large	— — <i>grandiflorum</i>	6
914	striped yellow	— <i>luteo-striatum</i>	y&w	6
915	yellow	— <i>luteum</i>	yel.	3
916	white	— <i>album</i>	wh.	3
917	Snake Melon	<i>Cucumis flexuosus</i>	21	40	84	fr.	yel.	tra	...	6
918	Spanish Broom	<i>Spartium junceum</i>	16	45	99	hp	...	3	...	3
919	— white Portugal	<i>Cy'tisus albus</i>	wh.	3
920	Stock, Ten-wcek, m.	<i>Mathiola annua, pl. v.</i>	15	61	83	lha	div.	1½	...	3
921	scarlet	— <i>coccinea</i>	sc.	3
922	— intermediate	— — <i>intermedia</i>	6
923	— new larger	— — <i>major</i>	1½	...	6
924	purple	— <i>purpurea</i>	pur.	1½	...	3
925	white	— <i>alba</i>	wh.	3
926	Nos. 921 to 925	— — —	div.	1&c	...	1 6
927	Stock, Germ. 20 var.	<i>Mathiola annua, var.</i>	1	...	1 0
928	dwarf, earmine	— <i>densiflora, min.</i>	car.	6
929	— dark blue	— <i>atro-cerulea</i>	d. b.	6
930	— light blue	— <i>luteo-cerulea</i>	l. b.	6
931	— crimson	— <i>kermesina</i>	cri.	6
932	— dark crimson	— <i>atrorubens</i>	d. r.	6
933	— peach-bloss.	— <i>persiciflora</i>	p. bl.	6
934	— rose-coloured	— <i>rosea</i>	rose	6
935	— yellow	— <i>lutea</i>	yel.	6
936	— violet	— <i>violacea</i>	vio.	6
937	— white	— <i>alba</i>	wh.	6
938	Nos. 928 to 937	— — —	div.	3 6
939	wallflow.-leaved	<i>Cheiri</i>	wh.	3
940	— rose	— <i>rosea</i>	rose	3
941	— 6 fine var.	— — —	div.	6
942	Stock, Queen, pur.	<i>incana</i>	pur.	2	6-8	3
943	— scarlet	— <i>coccinea</i>	hlt	sc.	3
944	— white	— <i>alba</i>	wh.	3
945	— fine mixed	— — —	div.	6
946	Stock, Brompton, se.	<i>simplicicaulis</i>	sc.	2½	...	3
947	— white	— <i>alba</i>	wh.	3
948	— purple	— <i>purpurea</i>	pur.	3
949	— earmine	— <i>minuta</i>	car.	6
950	— crimson	— <i>kermesina</i>	cri.	6
951	— copper	— <i>cyprea</i>	cop.	6
952	— violet	— <i>violacea</i>	vio.	6
953	— — dark	— <i>atro-violacea</i>	d. v.	6
954	— white German	— <i>alba</i>	wh.	6
955	Imperial, 4 var.	— <i>imperialis</i>	hlt	div.	2	...	1 0
956	Autumnal, 12 v.	— <i>autumnalis</i>	lha	...	1½	7-S	6
957	Sunflower, double	<i>Helianthus annuus,</i>	19	55	79	ha	yel.	5	...	3
958	dwarf	— <i>nanus</i> [fl. pl.]	3	...	3
959	Giant	— <i>giganteus</i>	7	...	3
960	Sweet Alyssum	<i>Alyssum maritimum</i>	15	60	83	hpt	wh.	1	6-9	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
961	Sweet Sultan	<i>Cenlaurca moschàla</i>	19	55	79	hha	pur.	2	7-9	3
962	white	— <i>alba</i>	wh.	3
963	yellow	<i>suavèolens</i>	yel.	3
964	blush	<i>Crocodylimum</i>	blu.	3
965	Venus' Looking-	<i>Prismatocarpus Spé-</i>	5	25	73	ha	bl.	1	7-8	3
966	5 var. sep. [Glass	— — — [calum	div.	1 0
967	Venus' Navelwort	<i>Cynoglossum linifol.</i>	71	...	wh.	3
968	Virginian Stock	<i>Maledonia maritima</i>	15	61	83	...	li.	$\frac{1}{2}$	6-7	3
969	white	— <i>alba</i>	wh.	3
970	Wallflower, dark	<i>Cheiranthas Cheiri</i>	hp	bro.	2	5-8	3
971	very dark	— <i>atratus</i>	bla.	3
972	Chameleon	— <i>variabilis</i>	var.	3
973	purple	— <i>purpureus</i>	pur.	3
974	yellow	— <i>flavus</i>	yel.	3
975	double dark	— <i>flöre-plèno</i>	bro.	6
976	— very dark	— — <i>nigrescens</i>	bla.	6
977	— dark blue	— — <i>atro-caruleus</i>	d. bl.	1 0
978	— marbled blue	— — <i>marmoratus</i>	mar.	1 0
979	— fine mixed	— — —	div.	6
980	Winter Cherry	<i>Physalis Alkakengi</i>	5	25	132	ha	wh.	2 $\frac{1}{2}$	7-9	3
981	Xeranthemum, pur.	<i>Xeranthem. annuum</i>	19	54	79	...	pur.	2	...	3
982	white	— <i>album</i> [teatam	wh.	...	7-8	3
983	yellow	<i>Eliehy sum brae-</i>	yel.	3
984	new white	— <i>album novum</i>	wh.	3
985	new straw	— <i>stramineum</i>	stra.	3
986	Nos. 981 to 986	— — —	div.	1 0
987	Zinnia, yellow	<i>Zinnia aurea</i>	hha	yel.	3
988	buff	<i>pauciflora</i>	buff.	3
989	large-flowered	<i>grandiflora</i>	se.	3
990	6 sorts mixed	— — —	div.	6
991	6 do. do. separate	— — —	1 0

ASSORTMENTS (continued from Page 4).

The following Seeds have lately arrived from the Cape in fine condition, and are likely to give great satisfaction; many of them being new and rare.

No.		£ s. d.	No.		£ s. d.
36	50 very fine Erica, separate	1 5 0	40	16 very fine Protea	0 12 0
37	5 " " Heliehrysium ..	0 3 6	41	100 Cape Seeds	2 10 0
38	15 " " Leucadendron	0 10 0	42	50 do. do.	1 10 0
39	4 " " Leucospermum	0 2 6	43	25 do. do.	0 15 0

N.B. The three last Assortments are entirely distinct from the five preceding, and do not comprehend any of the species contained therein.

SUNDRY OTHER ASSORTMENTS,

Including the Finest Varieties.

	s. d.		£ s. d.
10 Alstræmëria, <i>fgh.</i> or <i>hhp.</i>	5 0	8 Ænothëra, <i>ha</i> & <i>p.</i>	0 2 0
6 Anemone, <i>hp.</i>	2 0	10 Pentstëmon, <i>hp.</i>	0 3 6
6 Aquilëgia, <i>hp.</i>	1 6	6 Schizanthus, <i>ha.</i>	0 1 6
8 Calliopsis, <i>hha.</i>	1 6	10 Snapdragon, <i>hp.</i>	0 3 6
10 Campánula, <i>hp.</i>	2 6	20 Greenhouse seeds	0 10 0
6 Candytuft, <i>ha.</i>	1 0	50 Hardy Annuals	0 7 6
8 Clarkia, <i>ha.</i>	1 6	25 do. do.	0 4 0
8 Convolvulus Major, <i>hha.</i>	2 0	50 Finest half-hardy, &c.	1 0 0
10 Delphínium, <i>hp.</i>	2 6	25 do. do.	0 10 0
12 Dianthus, <i>hb</i> & <i>p.</i>	3 6	50 Commoner do.	0 12 0
8 Digitális, <i>hp.</i>	1 6	25 do. do.	0 6 0
12 Godëtia, <i>ha.</i>	2 6	25 Fine Perennials	0 7 6
8 Lobëlia, <i>hb</i> & <i>p.</i>	4 0	12 do. do.	0 4 0
6 Nemóphila, <i>ha.</i>	2 0		

*** A Supplementary List of Flower Seeds, comprising several hundred, omitted in the present Catalogue for want of space, is in the press, and will be shortly published.*

SEEDS OF VARIOUS FRUITS—*per Packet.*

No.	s. d.	No.	s. d.
992 Apple Pips	6	1020 Melon, hardiest early Cantalupe	1 0
993 Apricots, mixed	6	1021 — Moosaine	1 0
994 Cherries, various	6	1022 — Ionian	1 0
995 Chestnuts	6	1023 — Ispahan, extra	1 0
996 Currants, mixed	6	1024 — netted Cantalupe	6
997 — black	6	1025 — netted Ispahan	1 0
998 — new large amber	6	1026 — netted Persian	1 0
999 — red Dutch	6	1027 — Niel's fine green flesh	1 0
1000 — white Dutch	6	1028 — Passingham Victoria, g. f.	1 0
1001 — fine red	6	1029 — Pëkin, warranted extra	1 0
1002 — fine white	6	1030 — pear-shaped, Egyptian	1 0
1003 Gooseberry, 12 finest prize v.	1 0	1031 — Pine Apple	6
1004 — Norris's Rifleman	6	1032 — scarlet-fleshed, mixed	6
1005 — Emmet's seedling	6	1033 — scarlet rock	6
1006 Grape, finest sorts	1 0	1034 — Queen's Pocket, fine	6
1007 Filberts, best	6	1035 — Sirdar or Surdah	1 0
1008 Hazel Nuts	6	1036 — Succade, fine	6
1009 Melon, fine mixed	1 0	1037 Mulberry, 5 sp.	2 6
1010 — Bayley's impregnated	1 0	1038 Nectarine, fine mixed	1 0
1011 — Beechwood, extra	1 0	1039 Peach, do.	1 0
1012 — Black Rock	6	1040 Pear Pips, fine	6
1013 — new dark green f.	1 0	1041 Plum, fine mixed	6
1014 — Cabul	1 0	1042 Quince	6
1015 — Davy's new Hybrid	1 0	1043 Raspberry, Chapman's red	6
1016 — Duncan's fine g. f.	6	1044 — new Fastolf	6
1017 — Evans' scarlet flesh	1 0	1045 — Macey's red	6
1018 — scarlet-fleshed Egyptian	1 0	1046 — new Victoria	6
1019 — fine mixed green flesh	6	1047 — new yellow	6

SEEDS OF VARIOUS FRUITS— Per Packet.		Price.	SEEDS OF VARIOUS FRUITS— Per Packet.		Price.
No.		s. d.	No.		s. d.
1048	Raspberry, Nivett's	6	1061	— Myatt's British Queen	6
1049	— Prince Albert	6	1062	— Elton Pine	6
1050	— Ratter's Giant	6	1063	— Keen's seedling	6
1051	— Shilling's new large	6	1064	— Myatt's seedling	6
1052	— Turkish Turban	6	1065	— Prince Albert	6
1053	— red Antwerp	6	1066	— scarlet, for preserving	6
1054	— white do.	6	1067	— old Pine	6
1055	— large late Bechive	6	1068	— Turner's Pine	6
1056	— large white	6	1069	— Knight's new Elton	6
1057	— 10 finest sorts	4 0	1070	— 10 finest sorts	4 0
1058	Strawberry, red Alpine	6	1071	Water Melon, Imperial	6
1059	— white Alpine	6	1072	— mixed, very fine	1 0
1060	— new Alpine	6			

BULBOUS AND OTHER FLOWER ROOTS.

<i>The following are quite hardy and may be planted till May.</i>		Price.			Price.
		£ s. d.			£ s. d.
Amaryllis formosissima,	each	0 6	Ranunculus, double, 25 varie-		
Bella-donna	"	1 0	ties, 5s.; 12 do.		3 0
Auemonas, splendid new			finest mixed, per 100		10 0
large double Dutch, 200 var.	3 0 0		very fine do.	"	7 0
— 100 do. 1l. 10s.	50 do.	17 6	new seedlings	"	5 0
— 25 do. 8s.	12 do.	5 0	Turban Ranunculus, scar.	"	2 6
— double mixed, extra, per lb.		8 0	— dark crimson	"	3 0
— single	"	4 0	— orange	"	5 0
Bleu Aimable	per doz.	3 0	— yellow	"	3 0
Couleur de Sang	"	3 0	8 doz. in 8 fine var.	for	7 0
Feu superbe, flame	"	3 0	Hercules, white,	each	1 0
Josephine, crimson	"	3 0	Mufti, spotted	"	1 0
Lord High Admiral, sc.	"	3 0	new earmine	"	1 0
New variegated	"	3 0	Sulphurea superba	"	1 0
Rose Surpassante	"	3 0	Winter Aconites,	per 100	4 0
Rouge Snperb	"	3 0			
48 in the above 8 var.	for	10 0	AMARYLLIDACEÆ.		
Anemone hortensis, mixed	doz.	2 6	Alstroemëria pulchra*	each	1 0
brilliant red	"	3 0	Amaryllis anlica**	"	5 0
double red	"	2 6	erocata superba**	"	6 0
fine single	"	2 0	equestris*	"	2 6
variable	"	3 0	flammea*	"	3 6
30 in the above 5 var.	for	5 0	gloriosa**	"	6 0
12 beautiful new var.	each	1 0	Johnsoni*	"	3 6
Lilium lancifolium, album	"	3 6	Josephiniàna*	10s. to 1	0 0
Pancratium illyricum	"	1 6	psittacina**	"	4 0
Ranunculus, extra fine			— hybrida**	"	4 0
double, 200 varieties		2 0 0	reginæ**	"	5 0
— 100 do. 1l.	50 do.	10 0	splendens**	"	6 0

BULBOUS AND OTHER FLOWER ROOTS.		Price.	BULBOUS AND OTHER FLOWER ROOTS.		Price.
		£ s. d.			£ s. d.
Amaryllis vittata*	each	3 0	Gladiolus gandavensis*		3 6
— superba*	"	4 0	— insignis, splendid*		3 6
sp. Brasils**, No. 1	"	3 6	Loddigèsii*		1 6
sp. do. No. 2	"	3 6	multiflorus*		3 0
Ammocharis coranica*	"	7 6	natalensis*	doz. 2 0	0 2
falcata*	"	5 0	oppositiflorus*	" 2 6	0 3
glauca* (new)	7s. to	10 0	pubibundus*		1 6
Brunsvigia multiflora*	each	7 0	rosa-mundi*		2 6
minor*. (quite distinct)	"	5 0	Victoria*		4 0
Buphane ciliaris*, true	"	5 0	6 fine new* for 12s.		2 0
disticha*	"	2 6	Iris pavonia*	doz. 2 6	0 3
Chlidanthus fragrans*	"	1 6	— persica*	" 2 6	0 3
Coburghia fulva*	"	5 0	— sustiana*		1 0
incarnata*	"	5 0	tuberosa*		0 6
Crinum aquaticum*	"	1 6	Tigridia canariensis†?		1 6
capense (imported)	"	1 6	couchiflora†		1 0
— roseum	"	1 0	Pavonia†, large	doz. 2 6	0 3
— album	"	1 6	Watsduia, finest mixed	" 5 0	0 6
sp. West Indies*	"	3 0	* proper for the Greenhouse		
Cyrtanthus obliquus*	"	3 6	or the open borders; † should		
punicus*	"	3 6	not be planted out before the end		
spiralis*	"	3 6	of April; the others from Jan-		
Gastronema spiralis*	"	2 6	uary till May.		
undulata*	"	1 6	SUNDRY BULBS.		
Habranthus, sp. Chili*	"	2 6		each	
Hæmanthus albilos*	"	2 0	Achimenes, various*	4d. to	1 0
coccineus*	"	2 6	Albuca, Cape species*		2 6
hyalocarpus*	"	2 6	Bulbine pugioniformis*		2 0
quadrialvis*	"	2 6	Dahlias, extra fine†		1 0
tigrinus*	"	2 6	Drumia altissima*		3 6
Ismene, fine sp.*	"	3 6	Eriospemum lancifolium*		2 6
Vallota purpurea*	"	1 0	Gesneria, various**	1s. 6d. to	3 6
— extra large*	"	3 6	Gloxinia, various**	1s. 6d. to	3 6
— speciosa*	"	5 0	Ornithogalum aureum*		1 0
* proper for a Greenhouse;			Strelitzia juncea, large*		7 6
** for the hothouse or greenhouse.			Tropæolum peregrinum*		2 0
The Crinums are quite hardy.			Jarrattii*		3 0
IRIDACEÆ.			Tuberoses, double, per doz. 4s.		4 0
Anisanthus Cundonia*		0 9	Veltheimia capensis*		1 6
Anomatheca cruenta*	doz. 2 6	0 3	* proper for Greenhouse; **		
Antholyza*, fine mixed	" 3 6	0 4	most proper for a Stove, but will		
Babiana*, 6 fine sorts	for 5 6	1 0	do in a Greenhouse. Dahlias		
Commelina cælestis†	doz. 2 6	0 3	must not be planted out before		
Gladiolus blaudus*		1 0	May. Tuberoses require to be		
cardinalis*		0 6	forwarded in a hotbed frame or		
— inflatus*		1 0	pit.		
curviflorus*		1 0			

SUNDRY PLANTS.

	£	s.	d.
Carnations, extra fine prize flowers, named, per 12 pair.....	1	4	0
————— 12 single plants	0	13	0
Picotees, extra fine, white grounds, per 12 pair	1	0	0
————— 12 single plants	0	11	0
————— yellow grounds, per 12 pair	1	4	0
————— 12 single plants	0	13	0
Chrysanthemums, fine, 10s. doz., extra fine do., per doz.....	0	18	0
Fuchsias, very fine..... " " 10s. to	1	0	0
Geraniums, 12s., 20s., 40s., 60s. to 80s. per doz.			
Heartsease or Pansies, 12 extra fine sorts.....	1	0	0
————— 12 fine varieties	7s.	6d.	to
Pinks, extra fine, per doz. pair 8s., 50 do. do.....	1	10	0
Roses, fine Standards, 12 varieties, per doz.....	1	10	0
————— Half-Standards, per doz.	18s.	to	
————— dwarf, " "	6s.	to	
————— climbing and Noisette, per doz.	9s.	&	
Verbenas, fine, per doz.	7s.	6d.	to

To prevent J. C. from sending duplicates, he requests the names of such as are already possessed.

KITCHEN-GARDEN SEEDS.

Warranted Genuine.

Month of Sow.	oz. ounce; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		s. d.			s. d.
3 and 4	Artichoke, best per oz.	1 0	4 to 6	Broccoli, earliest Cape p. oz.	1 0
	Asparagus, giant "	0 3		white Cape "	1 0
11 to 6	Beans, early Mazagan p. qt.	0 6		Grauge's white "	1 0
	dwarf Fan "	0 6		early Belvidere "	1 0
	early loag-pod "	0 6		early Caulif. B. "	1 0
	Sword "	0 6		— cream-coloured "	1 0
	Turkey "	0 6		— purple "	1 0
	Johnson's Wonderful, "	0 6		— white "	1 0
	Lisbon long pod "	0 6		— Malta "	1 0
	green long pod "	0 6		— sprouting "	1 0
	Toker "	0 6		— Walcheren "	1 6
1 to 5	largest Windsor "	0 6		Chappel's cream "	1 6
	Taylor's Windsor "	0 6		fine white "	1 0
	green Windsor, &c. "	0 6		Brimstoue "	1 0
4 to 6	Beet, fine large red, per oz.	0 4		dwarf Russian "	1 0
	new German red "	0 6		dwarf Siberian "	1 0
	new black "	0 6		Hampton Court "	1 0
	green "	0 3		Howden's superb "	1 0
	silver or Sea kail "	0 3		Impregnated white "	1 0
	white "	0 3		Invisible "	1 0
4 to 5	Borcole or Kail, brown "	0 4		new Victoria "	1 0
	green curled "	0 4		Knight's protecting "	1 0
	purple "	0 4		Portsmouth "	1 0
	variegated, &c. &c. "	0 6		Winter Imperial "	1 0

Month of Sow.	oz. ounce ; qt. quart.	Price.	Month of Sow.	pa. packet ; bush. bushel.	Price.
		s.d.			s.d.
4 to 6	Broccoli, White Southampt.	1 0	2 to 8	Cauliflower, late Cyprus, oz.	1 6
	late white "	1 0		Walcheren "	1 6
	— Miller's "	1 0		new black "	1 6
	— purple close-h. "	1 0	3 to 6	Celery, solid white "	0 3
	— large white "	1 0		solid red "	0 3
	late large purple "	1 0		giant red "	0 6
	— American, ext. "	1 6		giant white "	0 6
	very late d. Danish "	1 0		new curled "	0 6
	6 best for suecession "	6 0		Seymour's white "	0 6
5 to 6	Brussels sprouts, extrafi. "	1 0		new American "	0 6
3 to 9	Cabbage, American, per oz.	1 0		large rt. Celeriae, "	0 6
	Atkins' Matchless "	1 0		Cardoon, Spanish "	0 6
	Carter's new Matchless "	1 6		new large purple pa.	1 0
	early dwarf per oz.	0 6		Chervil, curled per oz.	0 4
	— Nonpareil "	0 6	5 to 7	Corn Salad "	0 3
	— York "	0 6	2 to 9	Cress, common, per quart	1 0
	— Battersea "	0 6		triple curled "	1 6
	— East Ham "	0 6		Cress, golden "	2 0
	— Emperor "	0 6		Amer. perennial p. oz.	0 3
	— Paignton "	0 6		Water per pa.	0 6
	— Pomeraanian "	1 0	1 to 6	Cucumber, fine frame "	0 6
	— Plaw "	0 6		fine long prickly "	0 6
	— Shilling's Queen, "	1 6		Philip's long "	0 6
	— Sugar-loaf "	0 6		Stockwood "	0 6
	Vanaek "	0 6		fine Ridge "	0 6
	Wellington, &c. "	0 6		short prickly "	0 3
	large Imperial "	0 6		green Turkey "	0 6
	— Battersea "	0 6		white Turkey "	0 6
	— York "	0 6		Cambridge Hero "	1 0
	6 best sorts, 1 oz. each	3 6		Cambridge Prize "	1 0
	Red Dutch "	0 6		Carter's Champion "	1 0
	Cabbage, drumhd. Savoy, "	0 6		Cuthbert's * Colney }	1 0
	large green Savoy "	0 6		Hatch, warr. extra }	0 6
	yellow Savoy "	0 6		Improved Manchester	0 6
	Braganza "	0 8		Latter's Victory of Eng.	1 0
	Tronehoda, ext. "	1 0		Manning's black spine, "	1 0
	— new curled, do. "	1 0		Manchester Prize "	0 6
	Pe-tsay or Chinese pa.	0 6		Man of Kent "	0 6
	Pak-choi, new Chinese	1 0		Roman Emperor "	0 6
	Turnip-rooted, oz.	0 6		Sion House* "	0 6
	Chou de Milan, imported "	1 0		Snow's Horticultural	1 0
2 to 8	Carrot, early Horn "	0 4		Stewart's Ringleader	1 0
	early scarlet frame "	0 4		superb white spine "	1 0
	long Surrey "	0 4		Victory of Suffolk "	0 6
	— orange "	0 4		Walker's Traveller "	0 6
	Altriughan "	0 4		Weedon's frame "	0 6
	largest white "	0 2		Cuthill's black spine*	0 6
	Cauliflower, early Eng. "	1 6		6 finest varieties	5 0
	late English "	1 6	6 to 8	Endive, green curled, p. oz.	0 6
	large Asiatic "	1 6		white curled "	0 6

* Best for Autumn sowing.

Month of Sow.	oz. ounce; qt. quart.	Price. s. d.	Month. of Sow.	pa. packet; bush. bushel.	Price. s. d.
6 to 8	Endive, Batavian, white, oz.	0 6	3 to 8	Onion, Spanish, white* oz.	0 8
	— green „	0 6		— brown „	0 8
5 to 7	French beans, all sorts per qt.	1 3		Strasburg* „	0 6
	Scarlet Runners „	1 3		Tripoli* „	0 8
	Painted Lady „	1 6		Two-bladed „	0 8
	Indian Corn, per pa.	0 3		Weleh* „	0 6
3 to 5	Leek, London Flag p. oz.	0 6		6 finest sorts	3 6
1 to 8	Lettuce, Bath Cos*	1 6	7 to 5	Parsley, curled „	0 3
	black-seeded do. do.* „	1 6		extra curled „	0 4
	Brighton do. „	1 6		Hambro', rooted „	0 4
	Ady's large Cos „	1 6	2 to 5	Parsnip, hollow-crowned „	0 3
	blood Cos „	1 6		Guernsey „	0 3
	brown Cos* „	1 6	9 to 5	Peas, early Kent per qt.	8
	black seed g. Cos „	1 0		— Prince Albert „	1 0
	dwarf Siberian Cos „	1 0		— May „	0 8
	Egyptian Cos* „	1 0		— Shilling's Grotto „	1 0
	Florence Cos „	1 6		— Race-horse „	0 8
	green Cos „	1 6		— Warwick „	0 8
	improved white Cos „	1 6		— d. blossom frame „	0 8
	Paris Cos „	1 6		— Nimble „	0 6
	spotted Cos „	1 6		— Hotspur „	0 6
	white Cos „	1 6		— Charlton „	0 6
	white winter Cos* „	1 6		— Bishop's dwarf „	0 9
	Silesia „	1 0	3 to 6	Peas, later sorts per qt.	5 0
	brown Dutch* „	1 0		— Carter's Lilliputian „	5 0
	Drumhead cab. „	1 6		— new Colossus „	2 6
	Grand Admiral ea. „	1 6		— Glory of England „	1 0
	Imperial cabbage „	1 6		— Marrow, dwarf wh. „	0 8
	Malta cabbage „	1 6		— — tall white „	0 8
	Marseilles cabbage „	1 6		— — dwarf green „	0 8
	Large Mogul cab. „	1 6		— — tall green „	0 8
	Hammersmith, hardy* „	1 0		— — early green „	0 8
	Tennis ball* „	1 0		— — Woodford's g. „	0 8
	white cabbage* „	1 0		— — Grotto „	0 8
	New Cape cabbage, pa. „	1 0		— — Royal Victoria „	1 0
	8 finest sorts „ „	10 0		Knight's marrow, d. „	1 0
4 and 5	Love apple or Tomato p. oz.	1 0		— tall white „ „	1 0
	yellow „	1 0		— dwarf green „ „	1 0
3 to 9	Mustard, white p. quart	1 0		— tall green „ „	1 0
	brown „	1 0		Matchless „ „	0 8
3 to 8	Onion, blood-red per oz.	0 8		new Milford „ „	0 8
	Deptford* „	0 8		— Wrinkle „ „	1 6
	Globe „	0 8		— dwarf Victory „	1 0
	— new white „	0 8		— Mammoth „	1 0
	James' keeping „	0 8		Prussian blue „	0 8
	Lisbon* „	0 6		Groom's superb „	1 0
	Pickling „	0 8		Imperial, Bedman's „	0 8
	Portugal, white „	0 8		new British Queen „	1 6
	Reading, white „	0 8		Queen of the dwarfs „	5 0
	Silver-skinned „	1 0		Seinitar, dwarf blue „	0 8

* Best for Autumn Sowing.

* Best for Autumn Sowing.

Month of Sow.	oz. ounce; qt. quart.	Price. <i>s. d.</i>	Month. of Sow.	pa. packet; bush. bushcl.	Price. <i>s. d.</i>
If sown early require heat.	3 to 6 Peas, 10 ext. fine sorts	12 0	2 to 6 Turnip, early Dutch per oz.	0 3	
	2 to 6 Potato Seed, scarce, per pa.		early Mousetail "	0 3	
	— ash-leaved kidney	1 0	— Snowball "	0 3	
	— Buntingford kidney	1 0	3 to 9 — six week "	0 3	
	— Cockney, round "	1 0	— stone "	0 3	
	— early kidney "	1 0	— yel. Altringham "	0 3	
	— early round "	1 0	— Maltese "	0 3	
	— early Shaw, round "	1 0	— stone "	0 3	
	— elm-leaved kidney	1 0	3 to 5 Teltan, German "	0 6	
	— Manly's round "	1 0	2 to 5 Vegetable Marrow per pa.	0 6	
	— Oxnoble, round "	1 0	SWEET HERBS, &c.		
	— Prince Regent "	1 0	4 to 6 Balm, per oz. per pa.	0 3	
	— white Kent kidney	1 0	Basil, sweet "	0 3	
	— York red, round "	1 0	— bush "	0 3	
	— early golden globe	1 0	Borage "	0 3	
	— Bread-fruit, round	1 0	Bugloss "	0 3	
	— Dutch Silverskin	1 0	Burnet "	0 3	
	— 8 sorts as above "	7 0	Clary "	0 3	
	5 and 6 Purslain, green per oz.	0 6	Capsicum and Chilis "	0 6	
	1 to 8 Radish, long frame per qt.	2 0	Fennel "	0 3	
	Wood's new frame "	2 0	Florence Fennel "	0 6	
If sown early require heat.	early scarlet "	2 0	Hyssop "	0 3	
	early short topt "	2 0	Lavender "	0 3	
	long Salmon "	2 0	Marjoram, sweet "	0 3	
	white Naples "	2 6	— pot "	0 3	
	purple Salad "	1 6	Marigold, pot "	0 3	
	red Turnip "	2 0	Rosemary "	0 3	
	white Turnip "	2 0	Wormwood "	0 3	
	yellow Turnip, per oz.	0 3	Sage "	0 3	
	new rose olive "	0 3	Savory, Summer "	0 3	
	new scarlet do. "	0 3	— Winter "	0 3	
	new Chinese, rose- }	0 6	Thyme "	0 3	
	coloured Winter, pa. }	0 6	Fruit Seeds, see page 25.		
	Black Spanish, per oz.	0 3	ROOTS, PLANTS, &c.		
	4 to 5 Rampion per pa.	0 6	<i>The Prices variable.</i>		
	1 to 8 Rape, Salad per qt.	1 0	Artichokes per peck		
	3 to 5 Rhubarb, Victoria per oz.	1 0	Asparagus, all sorts		
	Giant "	1 0	Chives per 100		
	Tobolsk "	1 0	Garlic per lb	1 0	
	Salsafy "	0 6	Horse Radish per doz.		
	Scorzonera "	0 6	Mushroom Spawn per bush.	4 0	
	2 to 5 Sea Kail per qt.	2 0	Potato, early forcing, all sorts		
	Skirret per oz.	0 8	— Wright's prolific, &c. &c.		
	Sorrel "	0 6	Rhubarb, Tobolsk each	1 0	
	2 to 6 Spinach, round per qt.	1 0	Myatt's Victoria "	1 6	
	2 to 10 prickly "	1 0	Dully's scarlet "	1 0	
	broad Flanders "	1 0	6 finest for succession	7 0	
	3 to 5 New Zealand per oz.	0 6	Rocamboles per lb.		
	2 to 5 Squash, 3 var. mixed per pa.	0 6	Shallots "	1 0	
	6 var. separate "	1 6	Sea Kale per 100		
			Strawberries, various "		
			Raspberries, all sorts.		

AGRICULTURAL SEEDS.

Cabbage, largest field	per lb. 2 0	Grass, mixed Lawn, per Acre.
Carrot, ext. large white	„ 1 6	Mangel Wurzel, all sorts per lb. 1s.
Grasses, all sorts.		Turnip, 9d. to 1s. 6d. per lb.

Russia Mats, Garden Utensils, Netting, &c. &c.—Seeds packed for Exportation to India, &c., as to ensure their vegetating.

FRUIT TREES.

	Dwarfs.		Standards.	Dwarfs, trained.		Standards, trained.
	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
Apples, finest sorts	9	to 10	2 6	3 6		
Apricots, various, finest	1 6	2 6	3 6	6 0	10 6	
Almonds, fruit-bearing	1 6		3 6			
Cherries, very fine sorts	1 0		2 6	3 6	7 6	
Nectarines, ditto ditto	1 6		3 6	6 0	10 6	
Peaches, ditto ditto	1 6		3 6	6 0	10 6	
Pears, great variety	1 0		2 6	3 6	7 6	
Plums, fine sorts	1 0		2 6	3 6	7 6	
Medlars	1 0		2 6			
Quinces			2 6			

Gooseberries, 12 extra fine large prize varieties, 12s. 50 do. £2 0 0

Grape Vines, Pine-apple Plants, &c. &c.

****** A Catalogue of Genuine Dutch Bulbs will be published in Autumn.

List of a few important and useful works on Botany, &c., to be had of all Booksellers.

LOUDON'S Arboretum et Fruticetum Britannicum. 8 vols. 8vo. 10l.

— Abridged edition, 1 vol. 8vo, 1200 pages and 2200 engravings, 2l. 10s.

— Encycl. of Cottage, Farm, and Villa Architecture. 1 vol. 2000 Engravings. 3l.

— Supplement to do. 8vo. 7s. 6d.

— Suburban Gardener and Villa Companion. 1 vol. 8vo. 1l.

— REPTON'S Landscape Gardening, &c. 1 vol. 8vo. numerous Plates, 1l. 10s. plain, 3l. 6s. coloured.

— The Gardener's Magazine. In 9 vols. 8vo. 9l. 17s.

— The Suburban Horticulturist. 1 vol. 8vo. 380 Engrs. 16s. An excellent work.

Mrs. LOUDON'S Ladies' Flower Garden. 4 vols., coloured plates, £8 18s. 6d.

— Companion to ditto, 2nd edition. 1 vol. post 8vo. 6s.

— LADY'S COUNTRY COMPANION, 2nd Edition, 7s. 6d.

CURTIS' Botanical Magazine, edited by Sir William Jackson Hooker, monthly; coloured 3s. 6d., plain 2s. 6d., each.

Dr. LINDLEY'S Botanical Register, monthly. 3s. 6d. each.

— Serium Orchidaceum, splendidly coloured, 10 parts. 25s. each.

PAXTON'S Magazine of Botany, monthly. 2s. 6d. each.

— Pocket Botanical Dictionary. 15s.

MAUND'S Botanic Garden, col. monthly, large 1s. 6d., small 1s.

DECANDOLLE'S Vegetable Organography, translated by Boughton Kingdon, Esq. 2 vols. 8vo. 23 plates. £1 8s.

KOLLAR'S Treatise on Insects injurious to the Gardener, &c. 1 vol. 8vo. 7s.

TAYLOR'S Bee-Keeper's Manual; or Practical Hints, &c. 12mo. 4s.

In giving orders for Flower Seeds it is sufficient to mention the numbers and date of the Catalogue, 1846.